



Retail Pricing
Pricing subject to change without notice.

Twisted Pair - Format-A Receivers

Model	Description
D-TPP6A	Format-A D-TPS6A with Video Pass-Through - RCA/BNC

-

Model	Description
D-TPP6AC	Format-A D-TPS6A with Video Pass-Through - RCA/BNC (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
DS-TPP6A	Format-A D-TPS6A with Video Pass-Through - Stainless - RCA/BNC

-

Model	Description
DS-TPP6AC	Format-A D-TPS6A with Video Pass-Through - Stainless - RCA/BNC (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
D-TPR1A	Active Single-Pair (XLR Mic/Line) Twisted Pair Format-A Receiver (White/Gray D-plate)

-

Model	Description
D-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
D-TPR2A	Active Two-Pair Receiver - Twisted Pair Format-A - White/gray D-plate - Stereo Phono jack outputs

-

Model	Description
D-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
D-TPR3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Receiver (White/gray D-plate)



Pricing subject to change without notice.

-

Model	Description
D-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
DS-TPR1A	Active Single-Pair (XLR Mic/Line) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

-

Model	Description
DS-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - Stainless - XLR mic/line output (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
DS-TPR2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

-

Model	Description
DS-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - Stainless - stereo phono jack outputs (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
DS-TPR3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

-

Model	Description
DS-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - Stainless - XLR & stereo phono out (Custom Labeled)

Twisted Pair - Format-A Receivers

Model	Description
DS-TPS6A	Passive Single-Pair Sender - Stainless

-

Model	Description
DS-TPS6AC	Passive Single-Pair Sender - Stainless (Custom Labeled)

Twisted Pair - Format-A Receivers

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DS-TPS7A	Passive Single-Pair Sender - Stainless

-

Model	Description
DS-TPS7AC	Passive Single-Pair Sender - Stainless (Custom Labeled)
DS-TPS8A	Format-A Multiple Location Audio Sender - Stainless Steel (Compatible with Guest Room Audio System)
DS-TPS8AC	Format-A Multiple Location Audio Sender - Stainless Steel (Compatible with Guest Room Audio System) (Custom Labeled)
DS-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Stainless
DS-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Stainless (Custom Labeled)
DS-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Stainless
DS-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Stainless (Custom Labeled)
DS-TPSM2A	Active Two-Pair Sender Dual Microphone Preamp - Format-A - Stainless
DS-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamp - Format-A - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Twisted Pair - Format-A Receivers

Model	Description
TX-TPR1A	Active Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Receiver (TX series module)
TX-TPR3A	Active Three-Pair (Balanced Line) Twisted Pair Format-A Receiver (TX series module)
TX-TPR6A	Passive Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Receiver (TX series module)

Twisted Pair - Format-A Senders

Model	Description
D-TPS1A	Active Single-Pair (XLR Mic & Phantom) Twisted Pair Format-A Sender (White/gray Steel D-plate)

-

Model	Description
D-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
D-TPS2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Sender (White/gray Steel D-plate)

-

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
D-TPS3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Sender (White/gray Steel D-plate)

-

Model	Description
D-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
DS-TPS1A	Active Single-Pair (XLR Mic & Phantom) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - Stainless - XLR mic input w phantom (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
DS-TPS2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - Stainless - stereo phono jack inputs (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
DS-TPS3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - Stainless - XLR mic & stereo phono in (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Twisted Pair - Format-A Senders

Model	Description
TX-TPS1A	Active Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Sender (TX series module)
TX-TPS3A	Active Three-Pair (Balanced Line) Twisted Pair Format-A Sender (TX series module)
TX-TPS6A	Passive Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Sender (TX series module)
TX-TPSA1A	Three Pair Combiner to Single Pair Sender - Twisted Pair Format-A
D-TPS6A	Passive Single-Pair Sender

-

Model	Description
D-TPS6AC	Passive Single-Pair Sender (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
D-TPS7A	Passive Single-Pair Sender

-

Model	Description
D-TPS7AC	Passive Single-Pair Sender (Custom Labeled)

Twisted Pair - Format-A Senders

Model	Description
D-TPS8A	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System)

-

Model	Description
D-TPS8AC	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System) (Custom Labeled)
D-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In
D-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In (Custom Labeled)
D-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In
D-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In (Custom Labeled)
D-TPSM2A	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - White
D-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Twisted Pair - Active Sender / Distributor

Model	Description
RU-TPS4A	Active Sender / Distributor - Format-A - Three audio inputs to Four outputs

Twisted Pair - Power Inserters

Model	Description
FP-TP4PW	Four Output Twisted Pair Format-A Power Inserter (FLAT-PAK series module)
FP-TPS4A	Format-A Two-Pair Audio Sender (Compatible with Guest Room Audio System)

-

Model	Description
FP-TPSR4A	Format-A Audio Sender/Receiver (Compatible with Guest Room Audio System)

Accessories - General Mounting Accessories

Model	Description
CP-1S	Single Cover Plate - stainless steel
CP-2S	Double Cover Plate - stainless steel
CP-3	Triple Cover Plate - white

-

Model	Description
CP-3B	Triple Cover Plate - black
CP-3G	Triple Cover Plate - gray

Accessories - General Mounting Accessories

Model	Description
CP-3S	Triple Cover Plate - stainless steel
CP-4	Quad Cover Plate - white

-

Model	Description
CP-4B	Quad Cover Plate - black
CP-4G	Quad Cover Plate - gray

Accessories - General Mounting Accessories

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
CP-4S	Quad Cover Plate - stainless steel
RM-D3	Rack Mount for 3 Decora Modules - 1 RU
RM-D9	Rack Mount for 9 Decora Modules - 3 RU
RM-DFP1	Filler Plate for Decora Rack Mount Panels - Black

Twisted Pair - Power Inserters

Model	Description
RU-TP4PW	Four Output Twisted Pair Format-A Power Inserter (for use with RACK-UP rack adapters)

Accessories - Stick-On Mounting Accessories

Model	Description
SR-12A	STICK-ON Series Mounting Rack - 12 Modules
ST-PBR4	Mounting Bracket for 4 STICK-ON Modules

Twisted Pair - Power Inserters

Model	Description
TX-TP1PW	Single Output Twisted Pair Format-A Power Inserter (TX Series)
TX-TP4PW	Power Inserter / Signal Breakout - Twisted Pair Format-A

Twisted Pair - Format-A Distributors

Model	Description
RU-TPDA	Four Output Twisted Pair Format-A Active Distributor

Remote Panels & Controls - Connector Plates

Model	Description
D-1/4F	Plate with Single Stereo 1/4" Phone Jack

-

Model	Description
D-1/4FC	1/4 in. Phone Jack on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-A2	Line Output Assembly - RCA jacks, Terminal block

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

-

Model	Description
D-A2C	Line Output Assembly - RCA jacks, Terminal block (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-AVM4	Audio/Video Decora Jack Panel - DB15, RCA, Mini

-

Model	Description
D-AVM4C	Audio/Video Decora® Jack Panel - DB15, RCA, Mini (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-AVMB2	Video Decora Jack Panel - DB15 to BNC, Mini

-

Model	Description
D-AVMB2C	Video Decora Jack Panel - DB15 to BNC, Mini (Custom Labeled)
DB-HA1A	Format-A Stereo Headphone Amplifier - Black (Compatible with Guest Room Audio System)
DB-HA1AC	Format-A Stereo Headphone Amplifier - Black (Compatible with Guest Room Audio System) (Custom Labeled)
DB-J1	Microphone Input Assembly - XLR, Terminal block - black
DB-J1C	Microphone Input Assembly - XLR, Terminal block - black (Custom Labeled)
DB-J2	Line Input Assembly - RCA jacks, Terminal block - black
DB-J2C	Line Input Assembly - RCA jacks, Terminal block - black (Custom Labeled)
DB-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block - black
DB-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block - black (Custom Labeled)
DB-PHN1	Single Phono Jack on D Plate - Solder type - black
DB-PHN1C	Single Phono Jack on D Plate - Solder type - black (Custom Labeled)
DB-PHN2	Dual Phono Jacks on D Plate - Solder type - black
DB-PHN2C	Dual Phono Jacks on D Plate - Solder type - black (Custom Labeled)
DB-RC2ST	2 Channel Remote Control for STICK-Ons - black

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DB-RC2STC	2 Channel Remote Control for STICK-Ons - black (Custom Labeled)
DB-RC4RU	4 Channel Remote Control for RACK-Ups - black
DB-RC4RUC	4 Channel Remote Control for RACK-Ups - black (Custom Labeled)
DB-RC4ST	4 Channel Remote Control for ST-SX4 - black
DB-RC4STC	4 Channel Remote Control for ST-SX4 - black (Custom Labeled)
DB-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A - black
DB-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A - black (Custom Labeled)
DB-RC4M	Microphone 48 V Phantom Adapter - 2 Channel
DB-RC4MC	Microphone 48 V Phantom Adapter - 2 Channel
D-SFRC8L	Audio Selector for SourceFlex Distributed Audio System
D-HPA3C	3.5 Watt Audio Power and Headphone Amplifier (Custom Labeled)
D-SFRC8	Room Control Station for SourceFlex Distributed Audio System
D-PA3C	3.5 Watt Decora® Audio Amplifier (Custom Labeled)
D-SFRC8C	Room Control Station for SourceFlex Distributed Audio System (Custom Labeled)
D-HPA3	3.5 Watt Audio Power and Headphone Amplifier
D-PA3	3.5 Watt Decora® Audio Amplifier
D-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System (Custom Labeled)
D-TPRX3A	Three Input Format-A Source Selector
D-TPRX3AC	Three Input Format-A Source Selector (Custom Labeled)
DB-HPA3	3.5 Watt Audio Power and Headphone Amplifier - Black
DB-HPA3C	3.5 Watt Audio Power and Headphone Amplifier - Black (Custom Labeled)
DB-PA3	3.5 Watt Decora® Audio Amplifier - Black
DB-PA3C	3.5 Watt Decora® Audio Amplifier - Black (Custom Labeled)
DB-SFRC8	Room Control Station for SourceFlex Distributed Audio System - Black
DB-SFRC8C	Room Control Station for SourceFlex Distributed Audio System - Black (Custom Labeled)
DB-SFRC8L	Audio Selector for SourceFlex Distributed Audio System - Black
DB-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System - Black (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DB-TPRX3A	Three Input Format-A Source Selector - Black
DB-TPRX3AC	Three Input Format-A Source Selector - Black (Custom Labeled)
DS-HPA3	3.5 Watt Audio Power and Headphone Amplifier - SS
DS-HPA3C	3.5 Watt Audio Power and Headphone Amplifier - SS (Custom Labeled)
DS-PA3	3.5 Watt Decora® Audio Amplifier - SS
DS-PA3C	3.5 Watt Decora® Audio Amplifier - SS (Custom Labeled)
DS-SFRC8	Room Control Station for SourceFlex Distributed Audio System - SS
DS-SFRC8C	Room Control Station for SourceFlex Distributed Audio System - SS (Custom Labeled)
DS-SFRC8L	Audio Selector for SourceFlex Distributed Audio System - SS
DS-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System - SS (Custom Labeled)
DS-TPRX3A	Three Input Format-A Source Selector - SS
DS-TPRX3AC	Three Input Format-A Source Selector - SS (Custom Labeled)
DB-PSP1	Decora-Style Active Loudspeaker - Black
DB-PSP1A	Decora-Style Active Loudspeaker - Format-A - Black
DB-RC2	Remote Audio Mixing Control - Black
DB-RC2C	Remote Audio Mixing Control - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC2M	Remote Audio Mixing Control with Muting - Black
DB-RC2MC	Remote Audio Mixing Control with Muting - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC3	Remote Audio Mixing Control - Black
DB-RC3C	Remote Audio Mixing Control - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC3M	Remote Audio Mixing Control with Muting - Black
DB-RC3MC	Remote Audio Mixing Control with Muting - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-PSP1F	Decora-Style Active Loudspeaker - Black - Installer Level Adjust
DB-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Black - Installer Level Adjust

Remote Panels & Controls - Connector Plates

Model	Description
D-Blank	Blank Mounting Plate

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

-

Model	Description
D-BLANKC	D Style Plate with No Jack Cut Out (Custom Labeled)
DB-MJPT	Mini-Jack Pass-Through Plate
DB-MJPTC	Mini-Jack Pass-Through Plate (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Remote Panels & Controls - Connector Plates

Model	Description
D-BNC	Plate with Grounded BNC jack w/ solder terminals
D-BNC/D	Plate with Isolated Double BNC

-

Model	Description
D-BNC/DC	Insulated Double BNC Jack on D Plate (Custom Labeled)
D-BNCC	BNC Jack on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DB-RCX1	Room Control for RCX-5C Room Combiner - Decora Black
DB-RCX10R	Rotary Level Control - Rotary Encoder - Decora Black

-

Model	Description
DB-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® Black (Custom Labeled)
DB-RCX1C	Room Control for RCX-5C Room Combiner - Decora® Black (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DB-RCX2	Room Control for RCX-5C Room Combiner - Decora Black

-

Model	Description
DB-RCX2C	Room Control for RCX-5C Room Combiner - Decora® Black (Custom Labeled)
DB-RLC10	Remote Level Control - Rotary Optical Encoder - black

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DB-RLC10C	Remote Level Control - Rotary Optical Encoder - black (Custom Labeled)
DB-RLC10K	Remote Level Controller - 0 to 10 k Ohm - black
DB-RLC10KC	Remote Level Controller - 0 to 10 k Ohm - black (Custom Labeled)
DB-RLC10KM	Remote Level Control with Muting - black
DB-RLC10KMC	Remote Level Control with Muting - black (Custom Labeled)
DB-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder - black
DB-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder - black (Custom Labeled)
DB-RLC2	Remote Level Controller - Ramp - black
DB-RLC2C	Remote Level Controller - Ramp - black (Custom Labeled)
DB-RLC3	Remote Level Controller - Preset Levels - black
DB-RLC3C	Remote Level Controller - Preset Levels - black (Custom Labeled)
DB-RT2	Remote Control Selector - black
DB-RT2C	Remote Control Selector - black (Custom Labeled)
DB-SH1	Stereo Headphone Amplifier - Decora® panel with user level control - black
DB-SH1C	Stereo Headphone Amplifier - Decora® panel with user level control - black (Custom Labeled)
DB-SH1M	Stereo Headphone Amplifier - stainless Decora® panel with user level control - black
DB-SH1MC	Stereo Headphone Amplifier - stainless Decora® panel with user level control - black (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DB-TPA1A	3.5 Watt Decora Audio Power Amplifier - Black (Compatible with Guest Room Audio System)

-

Model	Description
DB-TPA1AC	3.5 Watt Decora® Audio Power Amplifier - Black (Compatible with Guest Room Audio System) (Custom Labeled)
DB-TPR1A	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output - black
DB-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output - black (Custom Labeled)
DB-TPR2A	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs - black
DB-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs - black (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DB-TPR3A	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs - black
DB-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs - black (Custom Labeled)
DB-TPS1A	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom - black
DB-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom - black (Custom Labeled)
DB-TPS2A	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs - black
DB-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs - black (Custom Labeled)
DB-TPS3A	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in - black
DB-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in - black (Custom Labeled)
DB-TPS8A	Format-A Multiple Location Audio Sender - Black (Compatible with Guest Room Audio System)
DB-TPS8AC	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System) - black (Custom Labeled)
DB-XLR2	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - black
DB-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - black (Custom Labeled)
DB-XLR2F	Dual XLR 3-pin Female Jacks on D Plate - Solder type - black
DB-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type - black (Custom Labeled)
DB-XLR2M	Dual XLR 3-pin Male Jacks on D Plate - Solder type - black
DB-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type - black (Custom Labeled)
DB-XLR3F	XLR 3-pin Female Jack on D Plate - Solder type - black
DB-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type - black (Custom Labeled)
DB-XLR3M	XLR 3-pin Male Jack on D Plate - Solder type - black
DB-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type - black (Custom Labeled)
DC-1B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black
DB-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Black
DB-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Black (Custom Labeled)
DB-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Black
DB-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Black (Custom Labeled)
DB-TPSM2A	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - Black
DB-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Remote Panels & Controls - Connector Plates

Model	Description
DS-CIJ3	Consumer Input Jacks - Mono
DS-CIJ3D	Consumer Input Jacks - Stereo
D-CIJ3	Consumer Input Jacks - Mono

-

Model	Description
D-CIJ3C	Consumer Input Jacks - Mono (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-CIJ3D	Consumer Input Jacks - Stereo

-

Model	Description
D-CIJ3DC	Consumer Input Jacks - Stereo (Custom Labeled)
D-CVMB2	Composite Video and Video Monitor Connection Plate
D-CVMB2C	Composite Video and Video Monitor Connection Plate (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-D1	Single plate for standard and specialty connectors

-

Model	Description
D-D1C	Single plate for standard and specialty connectors (Custom Labeled)
D-D1TC	Single plate for standard and specialty connectors - Top Hole Position (Custom Labeled) (See Part # ZCST-LBL for setup charge)
D-D1T	Single plate for standard and specialty connectors - Top Hole Position

Remote Panels & Controls - Connector Plates

Model	Description
D-D2	Double plate for standard and specialty connectors

-

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-D2C	Double plate for standard and specialty connectors (Custom Labeled)
DD-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - White
DD-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - White
DD-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - White
DD-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White
DD-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White
DD-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Black
DDB-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Stainless Steel

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DDS-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Stainless Steel
DDB-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Black
DD-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface

Remote Panels & Controls - Connector Plates

Model	Description
D-F	Plate with Grounded Double Type F

-

Model	Description
D-FC	Double Type F Jack on D Plate (Custom Labeled)
D-HA1A	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System)
D-HA1AC	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System) (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Remote Panels & Controls - Connector Plates

Model	Description
D-J1	Microphone Input Assembly - XLR, Terminal block

-

Model	Description
D-J1C	Microphone Input Assembly - XLR, Terminal block (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-J2	Line Input Assembly - RCA jacks, Terminal block

-

Model	Description
D-J2C	Line Input Assembly - RCA jacks, Terminal block (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block

-

Model	Description
D-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-MJPT	Mini-Jack Pass-Through Plate

-

Model	Description
D-MJPTC	Mini-Jack Pass-Through Plate (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-PHN1	Plate with Single Phono Jack

-

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-PHN1C	Single Phono Jack on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-PHN2	Plate with Two Phono Jacks

-

Model	Description
D-PHN2C	Dual Phono Jacks on D Plate - Solder type (Custom Labeled)
D-PSP1	Decora-Style Active Loudspeaker - White
D-PSP1A	Decora-Style Active Loudspeaker - Format-A - White
D-PSP1F	Decora-Style Active Loudspeaker - White - Installer Level Adjust
D-PSP1AF	Decora-Style Active Loudspeaker - Format-A - White - Installer Level Adjust

Remote Panels & Controls - Connector Plates

Model	Description
D-RGB1	Component Video RGB Connection Plate

-

Model	Description
D-RGB1C	Component Video RGB Connection Plate (Custom Labeled)
D-RLC10	Remote Level Control - Rotary Optical Encoder
D-RLC10C	Remote Level Control - Rotary Optical Encoder (Custom Labeled)
D-RLC10K	Remote Level Controller - 0 to 10 k Ohm
D-RLC10KC	Remote Level Controller - 0 to 10 k Ohm (Custom Labeled)
D-RLC10KM	Remote Level Control with Muting
D-RLC10KMC	Remote Level Control with Muting (Custom Labeled)
D-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder
D-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder (Custom Labeled)
D-RLC2	Remote Level Controller - Ramp
D-RLC2C	Remote Level Controller - Ramp (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-RLC3	Remote Level Controller - Preset Levels
D-RLC3C	Remote Level Controller - Preset Levels (Custom Labeled)
D-RT2	Remote Control Selector
D-RT2C	Remote Control Selector (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2	Plate with single 3-Pin XLR Female and single 3-Pin XLR Male

-

Model	Description
D-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2F	Plate with dual 3-Pin XLR Females

-

Model	Description
D-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2M	Plate with dual 3-Pin XLR Males

-

Model	Description
D-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-XLR3F	Plate with 3-Pin XLR Female



Pricing subject to change without notice.

-

Model	Description
D-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
D-XLR3M	Plate with 3-Pin XLR Male

-

Model	Description
D-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type (Custom Labeled)
DB-1/4F	1/4 in. Phone Jack on D Plate - Solder type - black
DB-1/4FC	1/4 in. Phone Jack on D Plate - Solder type - black (Custom Labeled)
DB-A2	Line Output Assembly - RCA jacks, Terminal block - black
DB-A2C	Line Output Assembly - RCA jacks, Terminal block - black (Custom Labeled)
DB-BLANK	D Style Plate with No Jack Cut Out - black
DB-BLANKC	D Style Plate with No Jack Cut Out - black (Custom Labeled)
DB-CIJ3	Consumer Input Jacks - Mono - black
DB-CIJ3C	Consumer Input Jacks - Mono - black (Custom Labeled)
DB-CIJ3D	Consumer Input Jacks - Stereo - black
DB-CIJ3DC	Consumer Input Jacks - Stereo - black (Custom Labeled)
DB-D1	Single plate for standard and specialty connectors - black
DB-D1C	Single plate for standard and specialty connectors - black (Custom Labeled)
DB-D2	Double plate for standard and specialty connectors - black
DB-D2C	Double plate for standard and specialty connectors - black (Custom Labeled)
DB-FC	Double Type F Jack on D Plate - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-F	Double Type F Jack on D Plate - Black
DB-BNCC	BNC Jack on D Plate - Solder type - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BNC/DC	Insulated Double BNC Jack on D Plate - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BNC/D	Insulated Double BNC Jack on D Plate - Black

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DB-BNC	BNC Jack on D Plate - Solder type - Black
DB-D1TC	Single plate for standard and specialty connectors - Top Hole Position - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-D1T	Single plate for standard and specialty connectors - Top Hole Position - Black
DB-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface - Black

Remote Panels & Controls - Connector Plates

Model	Description
DS-1/4F	Plate with Single Stereo 1/4" Phone Jack - Stainless Steel
DS-AVM4	Audio/Video Decora Jack Panel - Stainless - DB15, Phono, Mini

-

Model	Description
DS-AVM4C	Audio/Video Decora® Jack Panel - Stainless - DB15, Phono, Mini (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-AVMB2	Video Decora Jack Panel - Stainless - DB15 to BNC, Mini

-

Model	Description
DS-AVMB2C	Video Decora Jack Panel - Stainless - DB15 to BNC, Mini (Custom Labeled)

High Definition Products - Connector Plates

Model	Description
DS-1/4FC	1/4 in. Phone Jack on D Plate - Solder type - Stainless Steel

Remote Panels & Controls - Connector Plates

Model	Description
DS-Blank	Blank Mounting Plate - Stainless Steel

-

Model	Description
DS-BLANKC	D Style Plate with No Jack Cut Out - Stainless Steel (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Remote Panels & Controls - Connector Plates

Model	Description
DS-BNC	Plate with Grounded BNC jack w/ solder terminals - Stainless Steel
DS-BNC/D	Plate with Isolated Double BNC - Stainless Steel

-

Model	Description
DS-BNC/DC	Insulated Double BNC Jack on D Plate - Stainless Steel
DS-BNCC	BNC Jack on D Plate - Solder type - Stainless Steel
DS-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DS-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface - Stainless Steel
DS-CIJ3C	Consumer Input Jacks - Mono
DS-CIJ3DC	Consumer Input Jacks - Stereo
DS-CVMB2	Composite Video and Video Monitor Connection Plate - Stainless
DS-CVMB2C	Composite Video and Video Monitor Connection Plate - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-D1	Single plate for standard and specialty connectors - Stainless

-

Model	Description
DS-D1C	Single plate for standard and specialty connectors - Stainless (Custom Labeled)
DS-D1TC	Single plate for standard and specialty connectors - Top Hole Position - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DS-D1T	Single plate for standard and specialty connectors - Top Hole Position - Stainless Steel

Remote Panels & Controls - Connector Plates

Model	Description
DS-D2	Double plate for standard and specialty connectors - Stainless

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

-

Model	Description
DS-D2C	Double plate for standard and specialty connectors - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-F	Plate with Grounded Double Type F - Stainless Steel

-

Model	Description
DS-FC	Double Type F Jack on D Plate - Stainless Steel

Remote Panels & Controls - Connector Plates

Model	Description
DS-J1	Microphone Input Assembly - XLR, Terminal block - Stainless

-

Model	Description
DS-J1C	Microphone Input Assembly - XLR, Terminal block - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-J2	Line Input Assembly - RCA jacks, Terminal block - Stainless

-

Model	Description
DS-J2C	Line Input Assembly - RCA jacks, Terminal block - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block - Stainless

-

Model	Description
DS-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DS-MJPT	Mini-Jack Pass-Through Plate - Stainless

-

Model	Description
DS-MJPTC	Mini-Jack Pass-Through Plate - Stainless (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-PHN1	Plate with Single Phono Jack - Stainless Steel

-

Model	Description
DS-PHN1C	Single Phono Jack on D Plate - Solder type - Stainless Steel

Remote Panels & Controls - Connector Plates

Model	Description
DS-PHN2	Plate with Two Phono Jacks - Stainless Steel
D-TPP7A	Format-A D-TPS7A with Monitor Pass-Through

-

Model	Description
D-TPP7AC	Format-A D-TPS7A with Monitor Pass-Through (Custom Labeled)

Remote Panels & Controls - Connector Plates

Model	Description
DS-TPP7A	Format-A D-TPS7A with Monitor Pass-Through - Stainless

-

Model	Description
DS-TPP7AC	Format-A D-TPS7A with Monitor Pass-Through - Stainless (Custom Labeled)

Twisted Pair - Connector Plates

Model	Description
DS-RGB1	Component Video RGB Connection Plate - Stainless

-

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DS-RGB1C	Component Video RGB Connection Plate - Stainless (Custom Labeled)
DS-RLC10	Remote Level Control - Rotary Optical Encoder - stainless steel
DS-RLC10C	Remote Level Control - Rotary Optical Encoder - stainless steel (Custom Labeled)
DS-RLC10K	Remote Level Controller - 0 to 10 k Ohm - stainless steel
DS-RLC10KC	Remote Level Controller - 0 to 10 k Ohm - stainless steel (Custom Labeled)
DS-RLC10KM	Remote Level Control with Muting - stainless steel
DS-RLC10KMC	Remote Level Control with Muting - stainless steel (Custom Labeled)
DS-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder - stainless steel
DS-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder - stainless steel (Custom Labeled)
DS-RLC2	Remote Level Controller - Ramp - stainless steel
DS-RLC2C	Remote Level Controller - Ramp - stainless steel (Custom Labeled)
DS-RLC3	Remote Level Controller - Preset Levels - stainless steel
DS-RLC3C	Remote Level Controller - Preset Levels - stainless steel (Custom Labeled)
DS-RT2	Remote Control Selector - stainless steel
DS-RT2C	Remote Control Selector - stainless steel (Custom Labeled)
DS-PHN2C	Dual Phono Jacks on D Plate - Solder type - Stainless Steel
DS-PSP1	Decora-Style Active Loudspeaker - Stainless Steel
DS-PSP1A	Decora-Style Active Loudspeaker - Format-A - Stainless Steel
DS-PSP1F	Decora-Style Active Loudspeaker - Stainless Steel - Installer Level Adjust
DS-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Stainless Steel - Installer Level Adjust

Remote Panels & Controls - Connector Plates

Model	Description
DS-XLR2	Plate with single 3-Pin XLR Female and single 3-Pin XLR Male - Stainless Steel
DS-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - Stainless Steel
DS-XLR2F	Plate with dual 3-Pin XLR Females - Stainless Steel
DS-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type - Stainless Steel
DS-XLR2M	Plate with dual 3-Pin XLR Males - Stainless Steel

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
DS-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type - Stainless Steel
DS-XLR3F	Plate with 3-Pin XLR Female - Stainless Steel
DS-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type - Stainless Steel
DS-XLR3M	Plate with 3-Pin XLR Male - Stainless Steel
DS-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type - Stainless Steel

Remote Panels & Controls - Remote Control

Model	Description
D-ECR1	Remote Control

-

Model	Description
D-ECR1C	Remote Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-ECR1L	Remote Control

-

Model	Description
D-ECR1LC	Remote Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-RC2	Remote Audio Mixing Control

-

Model	Description
D-RC2C	Remote Audio Mixing Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-RC2M	Remote Audio Mixing Control with Muting

-

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-RC2MC	Remote Audio Mixing Control with Muting (Custom Labeled)
D-RC2ST	2 Channel Remote Control for STICK-ONS
D-RC2STC	2 Channel Remote Control for STICK-ONS (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-RC3	Remote Audio Mixing Control

-

Model	Description
D-RC3C	Remote Audio Mixing Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-RC3M	Remote Audio Mixing Control with Muting

-

Model	Description
D-RC3MC	Remote Audio Mixing Control with Muting (Custom Labeled)
D-RC4RU	4 Channel Remote Control for RACK-UPs
D-RC4RUC	4 Channel Remote Control for RACK-UPs (Custom Labeled)
D-RC4ST	4 Channel Remote Control for ST-SX4
D-RC4STC	4 Channel Remote Control for ST-SX4 (Custom Labeled)
D-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A
D-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A (Custom Labeled)
D-RC4M	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR (Available Jan. 2014)
D-RC4MC	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR (Custom Labeled) (Available Jan. 2014)

Remote Panels & Controls - Remote Control

Model	Description
D-RCX1	Room Control for RCX-5C Room Combiner - Decora
D-RCX10R	Rotary Level Control - Rotary Encoder - Decora

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

-

Model	Description
D-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® (Custom Labeled)
D-RCX1C	Room Control for RCX-5C Room Combiner - Decora® (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
D-RCX2	Room Control for RCX-5C Room Combiner - Decora

-

Model	Description
D-RCX2C	Room Control for RCX-5C Room Combiner - Decora® (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-ECR1	Remote Control

-

Model	Description
DS-ECR1C	Remote Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-ECR1L	Remote Control

-

Model	Description
DS-ECR1LC	Remote Control (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-RC2	Remote Audio Mixing Control - Stainless

-

Model	Description
DS-RC2C	Remote Audio Mixing Control - Stainless (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Remote Panels & Controls - Remote Control

Model	Description
DS-RC2M	Remote Audio Mixing Control with Muting - Stainless

-

Model	Description
DS-RC2MC	Remote Audio Mixing Control with Muting - Stainless (Custom Labeled)
DS-RC2ST	2 Channel Remote Control for STICK-Ons - stainless steel
DS-RC2STC	2 Channel Remote Control for STICK-Ons - stainless steel (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-RC3	Remote Audio Mixing Control - Stainless

-

Model	Description
DS-RC3C	Remote Audio Mixing Control - Stainless (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-RC3M	Remote Audio Mixing Control with Muting - Stainless

-

Model	Description
DS-RC3MC	Remote Audio Mixing Control with Muting - Stainless (Custom Labeled)
DS-RC4RU	4 Channel Remote Control for RACK-Ups - stainless steel
DS-RC4RUC	4 Channel Remote Control for RACK-Ups - stainless steel (Custom Labeled)
DS-RC4ST	4 Channel Remote Control for ST-SX4 - stainless steel
DS-RC4STC	4 Channel Remote Control for ST-SX4 - stainless steel (Custom Labeled)
DS-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A - stainless steel
DS-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A - stainless steel (Custom Labeled)
DS-RC4M	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR - Stainless (Available Jan. 2014)
DS-RC4MC	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR - Stainless (Custom Labeled) (Available Jan. 2014)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Remote Panels & Controls - Remote Control

Model	Description
DS-RCX1	Room Control for RCX-5C Room Combiner - Decora Stainless
DS-RCX10R	Rotary Level Control - Rotary Encoder - Decora Stainless

-

Model	Description
DS-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® Stainless (Custom Labeled)
DS-RCX1C	Room Control for RCX-5C Room Combiner - Decora® Stainless (Custom Labeled)

Remote Panels & Controls - Remote Control

Model	Description
DS-RCX2	Room Control for RCX-5C Room Combiner - Decora Stainless

-

Model	Description
DS-RCX2C	Room Control for RCX-5C Room Combiner - Decora® Stainless (Custom Labeled)

Remote Panels & Controls - Remote Control - Ultrastyle

Model	Description
DS-A2	Line Output Assembly - RCA jacks, Terminal block - Stainless

-

Model	Description
DS-A2C	Line Output Assembly - RCA jacks, Terminal block - Stainless (Custom Labeled)

Remote Panels & Controls - Remote Control - Ultrastyle

Model	Description
RU-D1	RACK-UP Mount for Decora® Module

Power Supplies & Accessories - Accessories

Model	Description
EC-6	6 Power Supply extension cords, 6 in. (North American version only)
FP-DCC1	DC / DC Converter (11 to 14 volt input; 24 volt @ 50 mA & 400 mA outputs)
FP-PSB1A	Power Supply Mounting Bracket

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
ST-PD5U	24 Vdc Switching Power Supply Distributor (1 input to 5 supply outputs, for use with PS-24U2/A)
WH1	Power Supply Mounting Adapter, surface mount (Mounts 6 supplies)
WH2	Power Supply Mounting Adapter, 19" rack mount (Mounts 6 supplies)

Power Supplies & Accessories - Power Supplies

Model	Description
PS-24AS	24 Vdc 500mA N. American Pwr Supply - Leads
PS-24KS	24 Vdc 1 A North American Power Supply - Leads
PS-24KX	24 Vdc Switching Power Supply, Interchangeable AC Plug, 1 A, dc Plug
PS-24V3	24 Vdc Switching Power Supply, No Cord, 3 A, dc Plug
PS-24V3A	24 Vdc Switching Power Supply, with North American cord, 3 A, dc Plug

Digital - Digital Audio

Model	Description
FP-DFC2	Digital Audio Format Converter (S/PDIF inputs to AES/EBU output)
FP-SPR1	SPDIF Repeater (Recovers low signals; converts between coaxial & optical)
HR-ADC1	Analog to Digital Converter
HR-DAC1	D to A Converter - 24/192 (S/PDIF and AES/EBU inputs; balanced XLR and terminal block, unbalanced RCA stereo audio outputs)
HR-DDA4	Digital Audio Distributor (1 x 4; S/PDIF and AES/EBU inputs; S/PDIF and AES/EBU outputs; converts between formats)
HR-DSX4	Digital Audio Selector (4 x 1; S/PDIF and AES/EBU inputs; S/PDIF and AES/EBU outputs; remote controllable)

Digital - Digital Interface

Model	Description
RU-SC2	Serial Converter (Full duplex RS-232 / RS-422)

Test Equipment - Instruments

Model	Description
PT-AMG2	Audio Monitor/Generator (Portable meter/generator, mic/line outputs/inputs, 700 Hz tone, battery or DC power)
PT-ASG1	Portable Audio Signal Generator (Mic or Line out, 700 Hz ultra stable frequency and level, battery or DC power)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Test Equipment - Line Amplifiers

Model	Description
PT-IC1	Nylon Carrying Case (For PT-AMG1 and PT-ASG1 and accessories)

Engineered Systems - RCX

Model	Description
RCX-5C	Room Combining System Controller (Control up to 5 rooms, may be linked w/ second RCX-5C)
RCX-5CM	Room Combining System Controller (5 rooms, may be linked w/ second RCX-5C; mutes local mics in music mode)
RCX-BZL	Wall Mount Bezel (For RCX-CD1 and RCX-CD1L remote panels)
RCX-CD1	Remote Control Panel for RCX-5C Room Combiner (Semi-custom remote control panel for RCX-5C controller)
RCX-CD1L	Remote Control Panel for RCX-5C Room Combiner (RCX-CD1 control panel for RCX-5C with lock option)

Engineered Systems - Sourceflex

Model	Description
SAS-8C	SourceFlex 8 Station Audio Controller (Supports up to 8 SourceFlex listening stations)
SAS-8i	SourceFlex Audio Input Interface and 4 Station Audio Controller (8 Audio Inputs - One per system; Supports up to 4 SourceFlex listening stations)
SAS-HC8	SourceFlex Headphone Control Station (Headphone station for exercise equipment or countertop)
SAS-HCB	Headphone Control Bracket
SAS-HCT	Headphone Control Table Mount

-

Model	Description
SF-XMN4	Microphone to Network Interface - Dante
SF-UN1	USB to Network Interface - Dante
SF-RA1	SysFlex Rack Adapter
SF-NP40D	Network to 40 Watt Stereo Power Amplifier - Dante
SF-NL2	Network to Audio Interface - Dante
SF-NH1	Network to Stereo Headphone Amplifier - Dante
SF-MSM1	Microphone Stand Mount for SysFlex Modules
SF-ND2	Network to Digital Audio Interface - Dante
SF-DN4	Digital Audio to Network Interface - Dante

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
SF-BNC2	Bidirectional Unbalanced Stereo Audio Network Interface - Dante
SF-NP40DE	Network to 40 Watt Stereo Power Amplifier - Dante - Export Model - Excludes Power Cord
SF-UCB2	Under Counter Bracket Pair for SysFlex Products
SF-PA50A	50 W Mono Audio Amplifier - 70 V or 100 V - Includes North American Power Cord
SF-NP50AX	Network to 50 W Mono Audio Amplifier - 70 V or 100 V - Dante - Export Model - Excludes Power Cord
SF-PA50AX	50 W Mono Audio Amplifier - 70 V or 100 V - Export Model - Excludes Power Cord
SF-NP35E	PoE++ Network to 35 W Mono Audio Amplifier - 70 V or 100 V - Dante
SF-NP50A	Network to 50 W Mono Audio Amplifier - 70 V or 100 V - Dante - Includes North American Power Cord
SF-NP16E	PoE+ Network to 16 W Mono Audio Amplifier - 70 V or 100 V - Dante

Switching & Control - Control Accessories

Model	Description
RU2-CS1	8 Open-collector Outputs, 8 0 to 10 V Outputs, 8 Status Inputs

-

Model	Description
RU-ADA4D	Audio Distribution Amplifier - Balanced/Unbalanced - 2x4, 1x8
RU-ADA8D	Audio Distribution Amplifier - Balanced/Unbalanced - 1x8, 2x16

Switching & Control - Switching

Model	Description
RU-SQ6A	Sequencing Controller (Power up & down control of 6 sequential events)
FP-ECC1	Energy Conservation Controller

-

Model	Description
FP-HRA	10.4" Rack Mount for FLAT-PAK Series Products

Switching & Control - Switching

Model	Description
ST-LCR1	Logic Controlled Relay-Momentary (DPDT & open-collector)
ST-LCR1H	High Power Logic Controlled Relay (8A relay contacts for switching of speaker lines)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
ST-LCR2	Logic Controlled Relay-Alternate Action (DPDT & open-collector)
ST-LCR3	Logic Controlled Relay-Alternate Pulse Dual Relays (Start pulse and End pulse; dual SPST & open-collector)

Video - Switching & Control

Model	Description
FP-AVDA4	Audio / Video Distribution Amp (1 x 4 NTSC / PAL video plus stereo unbalanced audio)
FP-VDA4	Video Distribution Amplifier (1 x 4 NTSC / PAL video DA, BNC only)

Video - System 84

Model	Description
RU-VA2	Video Attenuator (BNC 75 input & output, adjustable, 2 channel)

-

Model	Description
RU-VCA2A	Digitally Controlled 2 Channel Audio Attenuator
RU-VCA6A	Digitally Controlled 6 Channel Audio Attenuator

Video - Transformer Products

Model	Description
RU-AVX4	Audio/Video Switcher (4 x 1 NTSC/PAL video and stereo unbalanced audio source selector, connectorized)
RU-BNF	Format A Bi-Directional Network Interface - Format A, Bal Line Aux Inputs, Dante Input - 3 Format A, 1 Balanced Line Aux Outputs, Dante Output
RU-BNFP	Format A Bi-Directional Network Interface - Format A, Bal Line Aux Inputs, Dante Input - 3 Format A, 1 Balanced Line Aux Outputs, Dante Output - with PoE
EZ-AVX4	Composite Video and Stereo Audio Input Switcher - 4X1
EZ-AVX4X	Composite Video and Stereo Audio Input Switcher - 4X1
EZ-HSX4	Stereo Audio Input Switcher with Headphone Amp - 4X1
EZ-HSX4X	Stereo Audio Input Switcher with Headphone Amp - 4X1
EZ-MCP1X	Microphone Compressor
EZ-SX4	Stereo Audio Input Switcher - 4X1
EZ-SX4X	Stereo Audio Input Switcher - 4X1
RU-VSX4	4 Input Video Switcher (4 loop-through inputs; 75 output)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
TX-AVX	Automatic Video Switch (2 video inputs switched to 1 output)

-

Model	Description
TX-HRA3	10.4" Rack Mount for 3 TX Series Products

Video - Transformer Products

Model	Description
TX-MVX	Manual Video Switch (2 inputs switched to 1 output; gnd terminal to select)
TX-VCR	Video Controlled Relay (NTSC/PAL video input with loop thru, SPDT contacts)
EZ-HK2	Composite Video Hum Killer
EZ-HK3	Audio/Video Hum Killer
EZ-HRA3	EZ Series Half Rack Adapter for 3 Increments of 1/6 Rack Width

Video - VGA/XGA

Model	Description
EZ-VM12	VGA/XGA Distribution Amplifier - 1x2
EZ-VM12X	VGA/XGA Distribution Amplifier - 1x2
EZ-VM13	VGA/XGA Distribution Amplifier - 1x3
EZ-VM13X	VGA/XGA Distribution Amplifier - 1x3
EZ-VM14	VGA/XGA Distribution Amplifier - 1x4
EZ-VM14X	VGA/XGA Distribution Amplifier - 1x4
EZ-VM22E	VGA/XGA Switcher/Equalized Amplifier - 2X2
EZ-VM22EX	VGA/XGA Switcher/Equalized Amplifier - 2 Inputs, 2 Outputs
EZ-VM24E	VGA/XGA Switcher/Equalized Distribution Amp - 2X4
EZ-VM24EX	VGA/XGA Switcher/Equalized Distribution Amp - 2 Inputs, 4 Outputs
EZ-VMD2	VGA/XGA Distribution Amplifier - 1X2
EZ-VMD2X	VGA/XGA Distribution Amplifier - 1X2
EZ-VMD4	VGA/XGA Distribution Amplifier - 1X4
EZ-VMD4E	VGA/XGA Equalized Distribution Amp - 1X4

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
EZ-VMD4EX	VGA/XGA Equalized Distribution Amp - 1X4
EZ-VMD4X	VGA/XGA Distribution Amplifier - 1X4

Video - Line Amplifiers

Model	Description
TX-VLA1	Video Line Amplifier (Adjustable gain and equalization)

Accessories - General Wiring Accessories

Model	Description
ACB-1	Headphone Jack Box
ACB-2	Dual Phono Jack Box
AMS-1/4F	1/4 inch Stereo Phone Jack (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-1/8F	1/8" Stereo Mini-Jack - Terminal block connections
AMS-10K	10 K Linear Pot & Knob Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-10KA	10 K Audio Taper Pot & Knob Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-1RC	Single Phono Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-BNC	BNC Jack Assembly for Video (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-FP1	Filler Plate (covers unused accessory ports in the AMS-UF1 or RMS-4 wall plate)
AMS-HR6	Mounting panel for 6 AMS accessories - with installer label track; fits HR-RA2
AMS-LEDB	LED Indicator Assy - Blue
AMS-LEDG	LED Indicator Assy - Green
AMS-LEDR	LED Indicator Assy - Red
AMS-LEDY	LED Indicator Assy - Yellow
AMS-PB1	Momentary Pushbutton Switch for use with AMS-UF1 or RMS-4 wall plate (SPDT, 2 Amp contacts)
AMS-PJ1	Power Jack Assembly for use with AMS-UF1 (for PS-24U,B & E)
AMS-RU4	Mounting panel for 4 AMS Accessories
AMS-SW2	Rocker Switch Assembly for use with AMS-UF1 or RMS-4 wall plate (DPDT, 2 Amp contacts)
AMS-TS1	Illuminated Touch-Activated Pushbutton
AMS-XLF	XLR Female Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
AMS-XLM	XLR Male Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-XLRMA	Selectable Mic/Line XLR Output with Phantom Block
DTB	Detachable Terminal Block for STICK-ON modules
D-TPA1A	3.5 Watt Decora Audio Power Amplifier (Compatible with Guest Room Audio System)

-

Model	Description
D-TPA1AC	3.5 Watt Decora® Audio Power Amplifier (Compatible with Guest Room Audio System) (Custom Labeled)

Accessories - General Mounting Accessories

Model	Description
CP-1	Single White Cover Plate (Use w/ R style remote controls & D style connector plates)

-

Model	Description
CP-1B	Single Cover Plate - black
CP-1G	Single Cover Plate - gray

Accessories - General Mounting Accessories

Model	Description
CP-2 Order SKU #CP2/RDL	Double White Cover (Use w/ R style remote controls & D style connector plates)

-

Model	Description
CP-2B	Double Cover Plate - black
CP-2G	Double Cover Plate - gray

Accessories - General Mounting Accessories

Model	Description
DMK-5	Detachable Mounting Pads (Kit of 5)
MB-1	Mounting Kit - mounts RU, TX & STICK-ON modules
MB-2	Mounting Kit - mounts RU & TX modules
MB-3	Mounting Kit, mounts STICK-ON or TX in FP-RRA or FP-RRAH

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
MBR-1U	Mounting Brackets - mounts 1RU product above or below a shelf or any flat surface - kit of 2
RC-1UR	19" Universal Rack Chassis
RK-2U	19" Utility Rack Chassis (Wall or shelf mounting 2RU height)
RK-2UX	Utility Rack Chassis Extension (Expands RK-2U to 4RU height, multiple RK-2UX for added height)
RM-FP1	One Rack Unit 19 in. Filler Panel, 18 gauge reinforced
RM-FP2	Two Rack Unit 19 in. Filler Panel, 18 gauge reinforced
SR-TB10	Terminal Strip for SR-4 (Provides 10 screw terminals with laminate numbered 1 through 10)
UC-1R	Single Wide Enclosure - RACK-UP Mounts
UC-2R	Double Wide Enclosure - RACK-UP Mounts
WB-1U	Universal Wall Box, Single for US & International Installations (Designed for installation in either new or existing walls)
WB-2U	Universal Wall Box, Double for US & International Installations (Designed for installation in either new or existing walls)
WDG1R	Table Top Chassis for RU, MAX RU, ST and TX Series
HR-FP1	HALF-RACK Filler Panel - fills unused half of an HR-RA2
HR-HRA1	Half Rack Series Half Rack Adapter
HR-MCP2	Dual Channel Microphone Compressor
HR-RA2	Rack adapter for HALF-RACK series - 19 inch rack mount frame for HALF-RACK series modules, AMS panel, filler panel

Accessories - HD Series Mounting Accessories

Model	Description
HD-ASC1	HD Series Amplifier Security Cover
HD-BP1	HD Series Amplifier BACK-PACK Rear Cover
HD-FP1	HD Series Filler Panel
HD-FP2L	HD Series Filler Panel with Lens
HD-HRA1	HD Series Half Rack Adapter
HD-RA2	HD Series Rack Adapter
HD-WM1	Wall Mount Bracket for HD Series Amplifiers with "U" in Model Number
HD-WM2	Wall Mount Bracket for HD Series Amplifiers without "U" in Model Number

Accessories - General Mounting Accessories

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
HR-RU1	HALF-RACK mounting adapter kit for RACK-UP modules - adapts one RACK-UP to fit an HR-RA2
DC-1G	Desktop Chassis - Gray
DC-1W	Desktop Chassis - White

-

Model	Description
DC-2B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

Accessories - General Mounting Accessories

Model	Description
DC-2G	Desktop Chassis - Gray
DC-2W	Desktop Chassis - White

-

Model	Description
DC-3B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

Accessories - General Mounting Accessories

Model	Description
DC-3G	Desktop Chassis - Gray
DC-3W	Desktop Chassis - White

-

Model	Description
DC-4B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

Accessories - General Mounting Accessories

Model	Description
DC-4G	Desktop Chassis - Gray
DC-4W	Desktop Chassis - White

-

Model	Description
DC-F	Desktop Chassis Foot Kit for DC Series Desktop Chassis

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Accessories - General Mounting Accessories

Model	Description
SMB-1G	Surface Mount Box - Gray
SMB-1B	Single Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-1W	Surface Mount Box - White
SMB-2G	Surface Mount Box - Gray
SMB-2B	Double Single Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-2W	Surface Mount Box - White
SMB-3G	Surface Mount Box - Gray
SMB-3B	Triple Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-3W	Surface Mount Box - White
SMB-4G	Surface Mount Box - Gray
SMB-4B	Quadruple Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-4W	Surface Mount Box - White

Accessories - Din Rail Mounting Accessories

Model	Description
DR35-1M	Din Rail, 35 mm x 7.5 mm, 1 meter in length (mounts DRA adapters and OEM products)
DRA-35F	Din Rail Adapter for FLAT-PAK Module
DRA-35P	Din Rail Adapter for PS-24U2 Power Supply
DRA-35R	Din Rail Adapter for RACK-UP Module
DRA-35S	Din Rail Adapter for STICK-ON Module
DRA-35S6	Din Rail Adapter for 6 STICK-ONS
DRA-35T	Din Rail Adapter for TX Modules

Accessories - EZ Mounting Accessories

Model	Description
EZ-CC6	Component Chassis for 6 Increments of 1/6 Rack Width
EZ-DC1	Desktop Chassis for 1/6 Rack Width EZ Products
EZ-DC2	Desktop Chassis for 1/3 Rack Width EZ Products

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
EZ-FP1	Filler Panel - 1/6 Rack Width for EZ-RA6 or EZ-CC6
EZ-RA6	Rack Adapter for 6 Increments of 1/6 Rack Width
EZ-SD1	Storage Drawer - 1/6 Rack Width for EZ-RA6 or EZ-CC6
EZ-SD2	Storage Drawer - 1/3 Rack Width for EZ-RA6 or EZ-CC6
EZ-SMB1	Surface Mount Bezel for 1/6 Rack Width EZ Products
EZ-SMB2	Surface Mount Bezel for 1/3 Rack Width EZ Products
EZ-UCB2	Under Counter Bracket Pair for all EZ Product Widths

Accessories - Flat-Pak Mounting Accessories

Model	Description
FP-CT1	Locking Cable Tie Bracket for FP-RRA/H
FP-RRA	Rack Adapter - FLAT-PAK Series, front or rear
FP-RRAH	Rack Adapter, Hinged - FLAT-PAK Series, front or rear
FP-RRB1	Rear rack rail mounting kit for any FLAT-PAK module

Accessories - Stick-On Mounting Accessories

Model	Description
MSR-1	Snap Rail Adapter - mounts 1 STICK-ON in snap rail
RC-PS5	19" Rack Mount for 5 Desktop Power Supplies
SR-4	Mounting Frame for STICK-ON and TX Modules (Backboard or wall mounting, optional SR-TB10 terminal block w/legend)
SMK-12	STICK-ON Mounting Plate - mounts up to 12 STICK-ONS
SR-10	STICK-ON Mounting Rack (Provides mounting of up to 10 STICK-ONS)
ST-RRB1	Rear rack rail mounting kit for any STICK-ON module
STR-19A	Racking System (Holds 12 STICK-ONS in 2RU 19" hinged panel frame)
STR-19B	Racking System (Angle mounts 10 STICK-ONS in a 2RU 19" hinged panel frame)

Accessories - Pole Mounting Accessories

Model	Description
PM-1T	Flat-Pak Pole Mount Adapter - Horizontal Tray for Flat-Pak, TX and STICK-ON Modules
PM-3T	Pole Mount Tray - black

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
PM-3TG	Pole Mount Tray - gray
PM-3TW	Pole Mount Tray - white

Accessories - Ultrastyle Design

Model	Description
RC-HPS3	Half Rack Adapter for 3 Desktop Power Supplies

-

Model	Description
RC-HPS1	10.4" Rack Mount for Desktop Power Supply and TX Module

Accessories - Rack-Up Mounting Accessories

Model	Description
RU-BR1	Mounting Bracket for RU Series Products
RU-FP1R	RACK-UP Filler Panel
RU-HRA1	RACK-UP Series Half Rack Adapter
RU-LB2	Line-Level Bi-Directional Network Interface - 2 Balanced Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output
RU-LB2P	Line-Level Bi-Directional Network Interface - 2 Balanced Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output - with PoE
RU-LB4	Line-Level Bi-Directional Network Interface - 4 Balanced Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output
RU-LB4P	Line-Level Bi-Directional Network Interface - 4 Balanced Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output - with PoE
RU-RA3R	Rack adapter for RACK-UP series
RU-SMA1	RACK-UP Mounting Plate - mounts any RACK-UP module in a cabinet or other flat surface

Accessories - TX Mounting Accessories

Model	Description
TX-RA5	19" Rack Adapter for TX Series products (Mount up to 5 TX modules in 1RU 19" rack panel)
TX-RRB1	Rear rack rail mounting kit for any TX series module

Alerting - Broadcast-Specific

Model	Description
ACM-3	Amplitude Component Monitor for FM - Complete Kit

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Alerting - General Purpose

Model	Description
D-BZR	Piezo Alert Module

-

Model	Description
D-BZRC	Piezo Alert Module (Custom Labeled)

Audio - Power Amplifiers

Model	Description
FP-PA20	Audio Power Amplifier (20 Watts RMS mono, 8 output, w/ integral compressor)
FP-PA20A	Audio Power Amplifier (20 Watts RMS mono, 70 V and 100 V outputs, w/ integral compressor)
FP-PA20B	Audio Power Amplifier (20 Watts RMS mono, 25 V output, w/ integral compressor)
FP-PA35A	Audio Amplifier 35 W, 25 V / 70 V / 100 V
HD-MA35	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35A	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-MA35U	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35UA	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-MA35X	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35AX	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-MA35UX	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35UAX	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35A	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35U	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35UA	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35X	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35AX	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35UX	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35UAX	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
HD-RA35U	35 Watt Remote Mixer Amplifier - 4/8 Ohm Outputs
HD-RA35UA	35 Watt Remote Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-RA35UX	35 Watt Remote Mixer Amplifier - 4/8 Ohm Outputs
HD-RA35UAX	35 Watt Remote Mixer Amplifier - 25 V, 70 V, 100 V Outputs
RU-PA40D	40 W Stereo Audio Power Amp with VCA & Power Supply
RU-PA40DE	40 W Stereo Audio Power Amp with VCA & Power Supply - without power cord
RU-PA518	Audio Power Amplifier (5 Watts stereo, 18 Watts bridged mono, w/ peak limiter)
RU-SH1	Stereo Headphone Amplifier - RACK-UP series with user level control

-

Model	Description
RU-SM16A	2 Channel Audio Meter - Average/Peak/Hold
RU-SM16D	4 Channel Audio Meter - Average/Peak/Hold

Audio - Power Amplifiers

Model	Description
ST-IC1	Intercom Amplifier (1 microphone level input, 8 W output)
ST-MA2	Muting Monitor Amplifier (Selectable attenuation)
ST-PA18	18 Watt 8 W Audio Power Amplifier - STICK-ON series module
ST-PA2	2 Watt Power Amplifier (1 unbalanced line input; 8 & 600 outputs)
ST-PA6	6 Watt Power Amplifier (2 summed bal or unbal line inputs; 8 output, w/ EQ)
ST-SH2	Stereo Headphone Amplifier (L & R line in; 8 to 5 k L & R out; external level control)
TX-1W	Music-on-Hold Amplifier (1 unbal input; 1 bal & 1 unbal output, 1 Watt)
D-SH1	Stereo Headphone Amplifier

-

Model	Description
D-SH1C	Stereo Headphone Amplifier - Decora® panel with user level control (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Audio - Power Amplifiers

Model	Description
D-SH1M	Stereo Headphone Amplifier - Decora panel with user level control

-

Model	Description
D-SH1MC	Stereo Headphone Amplifier - Decora® panel with user level control (Custom Labeled)
DS-HA1A	Format-A Stereo Headphone Amplifier - Stainless Steel (Compatible with Guest Room Audio System)
DS-HA1AC	Format-A Stereo Headphone Amplifier - Stainless Steel (Compatible with Guest Room Audio System) (Custom Labeled)

Audio - Power Amplifiers

Model	Description
DS-SH1	Stereo Headphone Amplifier - Stainless Steel

-

Model	Description
DS-SH1C	Stereo Headphone Amplifier - Decora panel with user level control

Audio - Power Amplifiers

Model	Description
DS-SH1M	Stereo Headphone Amplifier - stainless Decora panel with user level control

-

Model	Description
DS-SH1MC	Stereo Headphone Amplifier - stainless Decora® panel with user level control (Custom Labeled)
DB-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Black
D-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - White
DG-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Gray
DS-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Stainless Steel
DG-PSP1	Decora-Style Active Loudspeaker - Gray
DG-PSP1A	Decora-Style Active Loudspeaker - Format-A - Gray
DG-PSP1F	Decora-Style Active Loudspeaker - Gray - Installer Level Adjust
DG-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Gray - Installer Level Adjust

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
D-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface
D-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Audio - Power Amplifiers

Model	Description
DS-TPA1A	3.5 Watt Decora Audio Power Amplifier - Stainless (Compatible with Guest Room Audio System)

-

Model	Description
DS-TPA1AC	3.5 Watt Decora® Audio Power Amplifier - Stainless (Compatible with Guest Room Audio System) (Custom Labeled)

Audio - Power Amplifiers

Model	Description
EZ-MXA20	20 Watt Stereo Audio Mixer Amplifier
EZ-MXA20X	20 Watt Stereo Audio Mixer Amplifier with EQ
EZ-PA20	20 Watt Stereo Audio Power Amplifier
EZ-PA20X	20 Watt Stereo Audio Power Amplifier

-

Model	Description
EZ-PD3	24 Vdc Power Distributor - 1x3

Audio - Power Amplifiers

Model	Description
FP-PA18	18 W Audio Power Amplifier with Power Supply
FP-PA18H	18 W High Ambient Temperature Audio Power Amplifier with Power Supply
TX-PA40D	40 W Stereo Audio Power Amplifier with Power Supply
TX-PA40DE	40 W Stereo Audio Power Amplifier with Power Supply - No Power Cord - Does not include IEC AC cable (same type that is commonly used with desktop computers with a C13 end)

Audio - Transformer Products

Model	Description
AV-AC2	Kit of two cables; dual phono to mini-plug; dual phono to mini-jack

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
AV-DC4	Divider/Combiner - 4 Line-level XLR input / output channels - switchable ground lifts
AV-HK1	Hum Killer; Transformer isolated dual phono jacks to ground-referenced dual phono jacks
AV-HK1X	Hum Killer; Transformer isolated XLR male to XLR female with ground isolation
AV-XMN4	Microphone to Network Interface - Dante
AV-NL2	Network to Audio Interface - Dante
AV-NH1	Network to Stereo Headphone Amplifier - Dante
AV-NL4	Network to Audio Interface
AV-LN4	Line Level Audio to Network Interface - Dante
TX-10B	Bridging Input Transformer (10 k input; 10 k output balanced)
TX-1A	Adjustable Line Transformer (10 k /600 input; 10 k to 5 k unbalanced output)
TX-70A	70 V Input Interface (100V/70V/25V speaker line in; 1 unbalanced line out)
TX-8A	4 Ohm / 8 Ohm Input Interface - Unbalanced/Balanced Line Out
TX-8i	Isolation Transformer for Headphones (Isolates 8 to 5 k or higher headphones from source equipment)

Signal Processors - Transformer Products

Model	Description
TX-A2	Audio Converter - Balanced to Unbalanced - Terminals, dual-RCA

Audio - Transformer Products

Model	Description
TX-A2D	Dual Audio Converter - Balanced to Unbalanced -Terminals, dual-RCA
TX-AFC1F	Studio Quality Audio Format Converter (Balanced to unbalanced audio transformer, XLR - phono)
TX-AFC1M	Studio Quality Audio Format Converter (Unbalanced to balanced audio transformer, phono - XLR)
TX-AT1	Studio Quality Audio Isolation Transformer (600 to 5 k 1:1 transformer, bal. or unbal. input and output)
TX-AT1S	Studio Quality Audio Isolation Transformer (600 to 5 k 1:1, bal/unbal in and out w/ transient suppression)

Signal Processors - Transformer Products

Model	Description
TX-J2	Unbalanced Input Transformer (Stereo phono jack input; 10 k output balanced)

Audio - Transformer Products

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
TX-LM2	Line Matching Transformer (600 bal input; 1 unbal line & 1 bal mic output)

Audio - Processing

Model	Description
FP-ALC1	Automatic Level Control, mono, +4 dBu balanced
FP-ALC2	Automatic Level Control, Stereo, -10 dBV phono in/out
FP-PEQ3	3 Band Parametric EQ, mono (+4 dBu & -10 dBV phono in/out)
RU-ADL2	Audio Delay, 0 to 135 mS (1 Input and 2 Outputs on XLR and terminal block, Line level)
RU-EQ3	3 Band Equalizer (Front panel controls)
RU-FN	Format A to Network Interface - 1 Format A, 1 Balanced Line Aux Inputs - Dante Output
RU-FNP	Format A to Network Interface - 1 Format A, 1 Balanced Line Aux Inputs - Dante Output - with PoE
ST-CL2	Compressor/Limiter (1 line level input/output; order 2 units for stereo)
ST-EQ3	3 Band Equalizer (Line level in/out)
ST-GCA3	Gain Control Amplifier, Switchable Fast/Slow (1 line input; 1 microphone & 1 line output)
ST-GLA1	Gated Line Amplifier (1 line input/output; self gating)
ST-GSP1	Gated Speech Preamp (1 mic input / 1 line output; speech activated gating)
ST-LEQ1	Loudness Equalizer (Line input/output; use with RU or ST series VCAs)

Audio - Annunciation & Paging

Model	Description
FP-CH8	Chime Generator (8 selectable single/repeated chime sounds, auto ducking)
ST-VP1	Voice-Over/Paging Module (2 line inputs; 1 line output)
ST-VP2	Automatic Ducking Module (2 line inputs; 1 line output)
TX-PCR1	Paging Controlled Relay

-

Model	Description
TX-PD8X	24 Vdc Switching Power Supply Distributor - 1x8

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Audio - Annunciation & Paging

Model	Description
TX-PSD1	Paging Sound Detector

Audio - Microphone Products

Model	Description
EZ-MCP1	Microphone Compressor
EZ-MPA1	Microphone Preamplifier - Stereo Output
EZ-MPA1X	Microphone Preamplifier - Stereo Output with Compressors
EZ-MPA2	Dual Microphone Preamplifier - Stereo Output
EZ-MPA2X	Dual Microphone Preamplifier - Stereo Output with Compressors
FP-MP1	Microphone Preamp, Ultra Low Noise (Switchable gain, switchable phantom, dual-LED VU meter)
FP-MPA2	Microphone Phantom Adapter (2 channel, w/ all standard phantom voltages selectable)
HR-MP2	Dual Microphone Preamplifier
HR-MP2A	Dual Microphone Preamplifier

Audio - Annunciation & Paging

Model	Description
FP-MR2	Message Repeater

Audio - Line Amplifiers / Interface

Model	Description
RU-MLA2	Dual Mic / Line Audio Preamplifier (Each input and each output switch-selectable Mic or Line level)
RU-MLA2T	Dual Mic / Line Audio Preamplifier with output transformers (Each input & each output switch-selectable Mic or Line)
RU-MLB2	Mic/Line Bi-Directional Network Interface - 2 Switchable Mic or Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output
RU-MLB2P	Mic/Line Bi-Directional Network Interface - 2 Switchable Mic or Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output - with PoE
RU-MLB4	Mic/Line Bi-Directional Network Interface - 4 Switchable Mic or Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output
RU-MLB4P	Mic/Line Bi-Directional Network Interface - 4 Switchable Mic or Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output - with PoE

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Audio - Distribution

Model	Description
RU-MLD4	1x4 Mic / Line Audio Distribution Amplifier (Input and each output switch-selectable Mic or Line level)
RU-MLD4T	1x4 Mic / Line Audio Distribution Amplifier with output transformers (Input & each output switch-selectable Mic or Line)

Audio - Microphone Products

Model	Description
ST-MPA24	Microphone 24 V Phantom Adapter - 2 Channel (Replaces ST-MPA2) (Available Jan. 2014)
ST-MPA48	Microphone 48 V Phantom Adapter - 2 Channel
STM-1	Microphone Preamplifier (1 Mic input; 1 bal & 1 unbal output, 50 dB fixed gain)
STM-2	Low-Noise Microphone Preamplifier (1 mic in w/phantom; 2 bal/unbal line out, 65 dB adj. gain)
STM-2X	Switched Microphone Preamplifier (1 mic in; 1 line & 1 mic out, external switch control)
STM-3	High-Gain Microphone Preamplifier (1 mic in w/phntm; 2 bal/unbal line out, 75 dB adj. gain)
STM-LDA3	Ultra Low-Noise Microphone Preamplifier (1 mic in w/phntm; 3 bal/unbal line out, 40-60 dB gain, dual-LED VU meter)

Audio - Mixing

Model	Description
EZ-MX4L	Stereo Line-Level Audio Mixer - 4X1
EZ-MX4LX	Stereo Line-Level Audio Mixer - 4X1
EZ-MX4ML	Mic and Stereo Line Audio Mixer - 4X1
EZ-MX4MLX	Mic and Stereo Line Audio Mixer - 4X1
FP-MX3R	Remote Controlled Line-Level Mixer
FP-MX4	4 Input Mic/Line Mixer (4 mic w/ switched phantom or line inputs; mic & line out)
FP-NML2	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs
FP-NML2P	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs - with PoE
FP-NML2V	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs
FP-NML2VP	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs - with PoE
FP-PA18HX	18 W High Ambient Temperature Audio Power Amplifier with Power Supply
FP-PA18X	18 W Audio Power Amplifier with Power Supply
FP-TPX3A	Format-A Twisted Pair Remote Controlled Mixer

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
RU-MX4	4 Input Mic/Line Mixer (4 mic w/ phantom or unbal in; 1 bal line or mic out; 1 unbal line out; direct in/out, connectorized)
RU-MX4L	4 Input Line Mixer (4 line balanced or unbalanced in; 1 bal line or mic out; 1 unbal line out; direct in/out, connectorized)
RU-MX4LT	RU-MX4L, 4 Input Line Mixer with output transformer isolation
RU-MX4SC	RU-MX4 Rear Panel Security Cover
RU-MX4T	RU-MX4, 4 Input Mic/Line Mixer with output transformer isolation
RU-MX5ML	5 Input Mic/Line Mixer w/Phntm - Mic and Line Out
RU-NFD	Network to Format A Interface/Distributor - Dante Input - 3 Format A, 1 Balanced Line Aux Outputs
RU-NFDP	Network to Format A Interface/Distributor - Dante Input - 3 Format A, 1 Balanced Line Aux Outputs - with PoE
RU-NL2	Network to Line Level Interface - Dante Input - 2 Balanced Line Outputs
RU-NL2P	Network to Line Level Interface - Dante Input - 2 Balanced Line Outputs - with PoE
RU-NL4	Network to Line Level Interface - Dante Input - 4 Balanced Line Outputs
RU-NL4P	Network to Line Level Interface - Dante Input - 4 Balanced Line Outputs - with PoE
ST-MX2	2 Channel Mic/Line Mixer (2 mic/line inputs; 1 mic & 1 line output, dual-LED meter)
ST-MX3	Line Level Mixer (3 bal/unbal line in; 1 bal/unbal line out)
ST-UMX3	Universal Mixer (3 Inputs, line or mic; 1 output, line or mic, dual-LED meter)
STD-10K	Divider/Combiner, 10 k (4 input / output channels)
STD-150	Divider/Combiner, 150 (4 input / output channels)
STD-600	Divider/Combiner, 600 (4 input / output channels)
TX-LC2	Audio Combiner / Unbalanced to Balanced (2 unbalanced inputs, 1 balanced output)
TX-MX2R	Audio Mixer / Distribution Amplifier (2 summed unbalanced inputs, 2 unbalanced outputs)

Audio - Line Amplifiers / Interface

Model	Description
FP-BUC2	Balanced to Unbalanced Converter (XLR to phono 2 channel, w/ level adjust)
FP-UBC2	Unbalanced to Balanced Converter (Phono to XLR 2 channel, w/ gain adjust)
FP-UBC6	Unbalanced to Balanced Converter (Phono to XLR 6 channel, w/ gain adjust)
RU-AFC2	Audio Format Converter
RU-ASX4D	4x1 Stereo Balanced Audio Switcher - Terminal Block (Available Jan. 2014)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
RU-ASX4DR	4x1 Stereo Balanced Audio Switcher - Terminal Block (Available Jan. 2014)
ST-TC1	Telephone Line Simulator / Coupler (Not intended to be connected to CO line)
ST-UBA2	Unbalanced to Balanced Amplifier (Also provides mono sum output, dual-LED meter)
STA-1	Electronic Transformer Pair (2 channel bal/unbal line in/out, adjustable gain/loss)
STA-1M	Audio Line Amplifier Mono, (Line level, adjustable gain/loss)
STA-2A	High Output Line Amplifier (Adjustable gain/loss, 2 channels, SupplyFlex)
EZ-AFC2	Audio Format Converter - Stereo Balanced ? Unbalanced
EZ-AFC2X	Audio Format Converter - Stereo Balanced ? Unbalanced

Audio - EMC

Model	Description
GB6	Ground Bar (For mounting up to 6 model TS-1Ds)
ST-FS6	Ferrite Suppressor (RF suppression in audio or control circuits)
TS-1D	Transient Suppressor (Install up to 6 of the TS-1D with 1 GB6)

Audio - Program Monitoring

Model	Description
RM-MP12A	Audio Monitor Panel (12 channel selection, mixing or interlocking modes, metering & built in speaker)

Audio - Distribution

Model	Description
RU-UDA4	1x4 Stereo Unbalanced Distribution Amplifier (Phono jacks in & out, -10 dBV)
ST-DA3	Audio Distribution Amplifier (1 bal/unbal line in; 3 bal/unbal line out, w/ gain adjust, SupplyFlex)
STM-DA3	Ultra Low-Noise Microphone Distribution Amplifier (1 mic in, 3 bal/unbal mic out, -5 to 12 dB gain, dual-LED VU meter)

Audio - Signal Generators

Model	Description
ST-NG1	White & Pink Noise Generator (Balanced line & mic level from each source)
ST-OSC2A	Oscillator, 1 kHz / 10 kHz (2 line outputs for each frequency, SupplyFlex)
ST-OSC2B	Oscillator, 100 Hz / 400 Hz (2 line outputs for each frequency, SupplyFlex)

Audio - Switching & Control

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
ST-ACR1	Audio Controlled Relay-Release delay 0.5 to 5.0 seconds (1 line input; DPDT contacts & open-collector output)
ST-ACR1M	Audio Controlled Relay-Release delay 0.5 to 5.0 seconds (1 mic input; DPDT contacts & open-collector output)
ST-ACR2	Audio Controlled Relay-Release delay 5 to 50 seconds (1 line input; DPDT contacts & open-collector output)
ST-RX2	Audio Routing Switcher (1 line input switched to 1 of 2 outputs)
ST-SSR1	Solid State Audio Relay (2 balanced line inputs; 1 balanced line output)
ST-SX4	4 Input Switcher (4 unbalanced line inputs; 1 unbalanced line output)
ST-VOX1	Voice Activated Relay (1 unbal mic or unbal line in; DPDT & open-collector out)

Audio - Crossover Filters & Filters

Model	Description
ST-CX2	Two-way Line-level Crossover (Full Range Output: 100 Hz to 30 kHz; Woofer Output: 40 Hz to 165 Hz)
ST-CX2S	Subwoofer Crossover Filter (22 Hz to 80 Hz)
ST-HP3	Dual High-Pass Filters (300 Hz High-Pass and 500 Hz High-Pass Outputs) - Line Level

Audio - Distribution

Model	Description
EZ-ADA4	Stereo Audio Distribution Amplifier - 1X4
EZ-ADA4X	Stereo Audio Distribution Amplifier - 1X4
EZ-HDA4A	Stereo Headphone Distribution Amp - 1X4 Front-Panel Outputs
EZ-HDA4AX	Stereo Headphone Distribution Amp - 1X4 Front-Panel Outputs
EZ-HDA4B	Stereo Headphone Distribution Amp - 1X4 Rear-Panel Outputs
EZ-HDA4BX	Stereo Headphone Distribution Amp - 1X4 Rear-Panel Outputs
EZ-HDA6	Stereo Headphone Distribution Amp - 1X6 Rear-Panel Outputs
EZ-HDA6X	Stereo Headphone Distribution Amp - 1X6 Rear-Panel Outputs
EZ-VDA2B	Video Distribution Amplifier - 1X2 BNC NTSC/PAL

Audio - Transformer Products

Model	Description
EZ-HK1	Stereo Audio Hum Killer

Audio - Distribution

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
EZ-VDA2BX	Video Distribution Amplifier - 1X2 BNC NTSC/PAL
EZ-VDA2R	Video Distribution Amplifier - 1X2 RCA NTSC/PAL
EZ-VDA2RX	Video Distribution Amplifier - 1X2 RCA NTSC/PAL
EZ-VDA3B	Video Distribution Amplifier - 1X3 BNC NTSC/PAL
EZ-VDA3BX	Video Distribution Amplifier - 1X3 BNC NTSC/PAL

Audio - Attenuators

Model	Description
STP-1	Dual Variable Attenuator (2 channel)

Audio - Phono

Model	Description
EZ-PH1	Stereo Phono Preamplifier
EZ-PH1X	Stereo Phono Preamplifier
ST-PH1	Stereo Phono Preamp (Adjustable gain; 2 balanced outputs)

-

Model	Description
RU-VDA4B	NTSC/PAL Video Distribution Amp - 1x4 - BNC

Audio - VCAs & Related Products

Model	Description
ST-RG1	Ramp Generator (1 up & 1 down control in; 1 dc ramp output)

-

Model	Description
STR-H6A	10.4" Rack Mount for 6 STICK-ON Series Products

Audio - VCAs & Related Products

Model	Description
ST-VCA3	Voltage Controlled Amplifier

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Audio - System 84

Model	Description
TP-HA1A	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System)