



Retail Pricing  
Pricing subject to change without notice.

### Twisted Pair - Format-A Receivers

Model	Description
D-TPR1A	Active Single-Pair (XLR Mic/Line) Twisted Pair Format-A Receiver (White/Gray D-plate)

-

Model	Description
D-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
D-TPR2A	Active Two-Pair Receiver - Twisted Pair Format-A - White/gray D-plate - Stereo Phono jack outputs

-

Model	Description
D-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
D-TPR3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Receiver (White/gray D-plate)

-

Model	Description
D-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
DS-TPR1A	Active Single-Pair (XLR Mic/Line) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

-

Model	Description
DS-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - Stainless - XLR mic/line output (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
DS-TPR2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

-

Model	Description
DS-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - Stainless - stereo phono jack outputs (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
DS-TPR3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Receiver (Stainless Steel D-plate)

-

Model	Description
DS-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - Stainless - XLR & stereo phono out (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
DS-TPS6A	Passive Single-Pair Sender - Stainless

-

Model	Description
DS-TPS6AC	Passive Single-Pair Sender - Stainless (Custom Labeled)

### Twisted Pair - Format-A Receivers

Model	Description
DS-TPS7A	Passive Single-Pair Sender - Stainless

-

Model	Description
DS-TPS7AC	Passive Single-Pair Sender - Stainless (Custom Labeled)
DS-TPS8A	Format-A Multiple Location Audio Sender - Stainless Steel (Compatible with Guest Room Audio System)
DS-TPS8AC	Format-A Multiple Location Audio Sender - Stainless Steel (Compatible with Guest Room Audio System) (Custom Labeled)
DS-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Stainless
DS-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Stainless (Custom Labeled)
DS-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Stainless
DS-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Stainless (Custom Labeled)
DS-TPSM2A	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - Stainless

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamp - Format-A - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)

### Twisted Pair - Format-A Receivers

Model	Description
TX-TPR1A	Active Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Receiver (TX series module)
TX-TPR2A	Active Two-Pair Receiver - Twisted Pair Format-A
TX-TPR3A	Active Three-Pair (Balanced Line) Twisted Pair Format-A Receiver (TX series module)
TX-TPR6A	Passive Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Receiver (TX series module)

### Twisted Pair - Format-A Senders

Model	Description
D-TPS1A	Active Single-Pair (XLR Mic & Phantom) Twisted Pair Format-A Sender (White/gray Steel D-plate)

-

Model	Description
D-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
D-TPS2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Sender (White/gray Steel D-plate)

-

Model	Description
D-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs (Custom Labeled)
D-TPS2AMC	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in (Custom Labeled) (See Part # ZCST-LBL for setup charge)
D-TPS2AM	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in

### Twisted Pair - Format-A Senders

Model	Description
D-TPS3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Sender (White/gray Steel D-plate)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

-

Model	Description
D-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
DS-TPS1A	Active Single-Pair (XLR Mic & Phantom) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - Stainless - XLR mic input w phantom (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
DS-TPS2A	Active Two-Pair (Stereo Phono) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - Stainless - stereo phono jack inputs (Custom Labeled)
DS-TPS2AMC	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in - Stainless (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DS-TPS2AM	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in - Stainless

### Twisted Pair - Format-A Senders

Model	Description
DS-TPS3A	Active Three-Pair (XLR Mic & Stereo Phono) Twisted Pair Format-A Sender (Stainless Steel D-plate)

-

Model	Description
DS-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - Stainless - XLR mic & stereo phono in (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
TX-TPS1A	Active Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Sender (TX series module)
TX-TPS3A	Active Three-Pair (Balanced Line) Twisted Pair Format-A Sender (TX series module)
TX-TPS6A	Passive Single-Pair (Balanced Line) Twisted Pair Format-A Switchable Sender (TX series module)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
TX-TPSA1A	Three Pair Combiner to Single Pair Sender - Twisted Pair Format-A
D-TPS6A	Passive Single-Pair Sender

-

Model	Description
D-TPS6AC	Passive Single-Pair Sender (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
D-TPS7A	Passive Single-Pair Sender

-

Model	Description
D-TPS7AC	Passive Single-Pair Sender (Custom Labeled)

### Twisted Pair - Format-A Senders

Model	Description
D-TPS8A	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System)

-

Model	Description
D-TPS8AC	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System) (Custom Labeled)
D-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In
D-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In (Custom Labeled)
D-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In
D-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In (Custom Labeled)
D-TPSM2A	Active Two-Pair Sender Dual Microphone Preamp - Format-A - White
D-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamp - Format-A - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)

### Twisted Pair - Active Sender / Distributor

Model	Description
RU-TPS4A	Active Sender / Distributor - Format-A - Three audio inputs to Four outputs

### Twisted Pair - Power Inserters

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
FP-TP4PW	Four Output Twisted Pair Format-A Power Inserter (FLAT-PAK series module)
FP-TPS4A	Format-A Two-Pair Audio Sender (Compatible with Guest Room Audio System)

-

Model	Description
FP-TPSR4A	Format-A Audio Sender/Receiver (Compatible with Guest Room Audio System)

### Accessories - General Mounting Accessories

Model	Description
CP-1S	Single Cover Plate - stainless steel
CP-2S	Double Cover Plate - stainless steel
CP-3	Triple Cover Plate - white

-

Model	Description
CP-3B	Triple Cover Plate - black
CP-3G	Triple Cover Plate - gray

### Accessories - General Mounting Accessories

Model	Description
CP-3S	Triple Cover Plate - stainless steel
CP-4	Quad Cover Plate - white

-

Model	Description
CP-4B	Quad Cover Plate - black
CP-4G	Quad Cover Plate - gray

### Accessories - General Mounting Accessories

Model	Description
CP-4S	Quad Cover Plate - stainless steel
RM-D3	Rack Mount for 3 Decora Modules - 1 RU
RM-D9	Rack Mount for 9 Decora Modules - 3 RU

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RM-DFP1	Filler Plate for Decora Rack Mount Panels - Black

### Twisted Pair - Power Inserters

Model	Description
RU-TP4PW	Four Output Twisted Pair Format-A Power Inserter (for use with RACK-UP rack adapters)

### Accessories - Stick-On Mounting Accessories

Model	Description
SR-12A	STICK-ON Series Mounting Rack - 12 Modules
ST-PBR4	Mounting Bracket for 4 STICK-ON Modules

### Twisted Pair - Power Inserters

Model	Description
TX-TP1PW	Single Output Twisted Pair Format-A Power Inserter (TX Series)
TX-TP4PW	Power Inserter / Signal Breakout - Twisted Pair Format-A

### Twisted Pair - Format-A Distributors

Model	Description
RU-TPDA	Four Output Twisted Pair Format-A Active Distributor

### Remote Panels & Controls - Connector Plates

Model	Description
D-1/4F	Plate with Single Stereo 1/4" Phone Jack

-

Model	Description
D-1/4FC	1/4 in. Phone Jack on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-A2	Line Output Assembly - RCA jacks, Terminal block

-

Model	Description
D-A2C	Line Output Assembly - RCA jacks, Terminal block (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
D-AVM4	Audio/Video Decora Jack Panel - DB15, RCA, Mini

-

Model	Description
D-AVM4C	Audio/Video Decora® Jack Panel - DB15, RCA, Mini (Custom Labeled)
DB-HA1A	Format-A Stereo Headphone Amplifier - Black (Compatible with Guest Room Audio System)
DB-HA1AC	Format-A Stereo Headphone Amplifier - Black (Compatible with Guest Room Audio System) (Custom Labeled)
DB-J1	Microphone Input Assembly - XLR, Terminal block - black
DB-J1C	Microphone Input Assembly - XLR, Terminal block - black (Custom Labeled)
DB-J2	Line Input Assembly - RCA jacks, Terminal block - black
DB-J2C	Line Input Assembly - RCA jacks, Terminal block - black (Custom Labeled)
DB-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block - black
DB-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block - black (Custom Labeled)
DB-PHN1	Single Phono Jack on D Plate - Solder type - black
DB-PHN1C	Single Phono Jack on D Plate - Solder type - black (Custom Labeled)
DB-PHN2	Dual Phono Jacks on D Plate - Solder type - black
DB-PHN2C	Dual Phono Jacks on D Plate - Solder type - black (Custom Labeled)
DB-RC2ST	2 Channel Remote Control for STICK-Ons - black
DB-RC2STC	2 Channel Remote Control for STICK-Ons - black (Custom Labeled)
DB-RC4RU	4 Channel Remote Control for RACK-Ups - black
DB-RC4RUC	4 Channel Remote Control for RACK-Ups - black (Custom Labeled)
DB-RC4ST	4 Channel Remote Control for ST-SX4 - black
DB-RC4STC	4 Channel Remote Control for ST-SX4 - black (Custom Labeled)
DB-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A - black
DB-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A - black (Custom Labeled)
DB-RC4M	Microphone 48 V Phantom Adapter - 2 Channel
DB-RC4MC	Microphone 48 V Phantom Adapter - 2 Channel

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

Model	Description
D-SFRC8L	Audio Selector for SourceFlex Distributed Audio System
D-HPA3C	3.5 Watt Audio Power and Headphone Amplifier (Custom Labeled)
D-SFRC8	Room Control Station for SourceFlex Distributed Audio System
D-PA3C	3.5 Watt Decora® Audio Amplifier (Custom Labeled)
D-SFRC8C	Room Control Station for SourceFlex Distributed Audio System (Custom Labeled)
D-HPA3	3.5 Watt Audio Power and Headphone Amplifier
D-PA3	3.5 Watt Decora® Audio Amplifier
D-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System (Custom Labeled)
D-TPRX3A	Three Input Format-A Source Selector
D-TPRX3AC	Three Input Format-A Source Selector (Custom Labeled)
DB-HPA3	3.5 Watt Audio Power and Headphone Amplifier - Black
DB-HPA3C	3.5 Watt Audio Power and Headphone Amplifier - Black (Custom Labeled)
DB-PA3	3.5 Watt Decora® Audio Amplifier - Black
DB-PA3C	3.5 Watt Decora® Audio Amplifier - Black (Custom Labeled)
DB-SFRC8	Room Control Station for SourceFlex Distributed Audio System - Black
DB-SFRC8C	Room Control Station for SourceFlex Distributed Audio System - Black (Custom Labeled)
DB-SFRC8L	Audio Selector for SourceFlex Distributed Audio System - Black
DB-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System - Black (Custom Labeled)
DB-TPRX3A	Three Input Format-A Source Selector - Black
DB-TPRX3AC	Three Input Format-A Source Selector - Black (Custom Labeled)
DS-HPA3	3.5 Watt Audio Power and Headphone Amplifier - SS
DS-HPA3C	3.5 Watt Audio Power and Headphone Amplifier - SS (Custom Labeled)
DS-PA3	3.5 Watt Decora® Audio Amplifier - SS
DS-PA3C	3.5 Watt Decora® Audio Amplifier - SS (Custom Labeled)
DS-SFRC8	Room Control Station for SourceFlex Distributed Audio System - SS
DS-SFRC8C	Room Control Station for SourceFlex Distributed Audio System - SS (Custom Labeled)
DS-SFRC8L	Audio Selector for SourceFlex Distributed Audio System - SS

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-SFRC8LC	Audio Selector for SourceFlex Distributed Audio System - SS (Custom Labeled)
DS-TPRX3A	Three Input Format-A Source Selector - SS
DS-TPRX3AC	Three Input Format-A Source Selector - SS (Custom Labeled)
DB-PSP1	Decora-Style Active Loudspeaker - Black
DB-PSP1A	Decora-Style Active Loudspeaker - Format-A - Black
DB-RC2	Remote Audio Mixing Control - Black
DB-RC2C	Remote Audio Mixing Control - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC2M	Remote Audio Mixing Control with Muting - Black
DB-RC2MC	Remote Audio Mixing Control with Muting - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC3	Remote Audio Mixing Control - Black
DB-RC3C	Remote Audio Mixing Control - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-RC3M	Remote Audio Mixing Control with Muting - Black
DB-RC3MC	Remote Audio Mixing Control with Muting - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-PSP1F	Decora-Style Active Loudspeaker - Black - Installer Level Adjust
DB-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Black - Installer Level Adjust
DB-J3MC	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-J3M	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block - Black

### Remote Panels & Controls - Connector Plates

Model	Description
D-Blank	Blank Mounting Plate

-

Model	Description
D-BLANKC	D Style Plate with No Jack Cut Out (Custom Labeled)
DB-MJPT	Mini-Jack Pass-Through Plate
DB-MJPTC	Mini-Jack Pass-Through Plate (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
D-BNC	Plate with Grounded BNC jack w/ solder terminals
D-BNC/D	Plate with Isolated Double BNC

-

Model	Description
D-BNC/DC	Insulated Double BNC Jack on D Plate (Custom Labeled)
D-BNCC	BNC Jack on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DB-RCX1	Room Control for RCX-5C Room Combiner - Decora Black
DB-RCX10R	Rotary Level Control - Rotary Encoder - Decora Black

-

Model	Description
DB-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® Black (Custom Labeled)
DB-RCX1C	Room Control for RCX-5C Room Combiner - Decora® Black (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DB-RCX2	Room Control for RCX-5C Room Combiner - Decora Black

-

Model	Description
DB-RCX2C	Room Control for RCX-5C Room Combiner - Decora® Black (Custom Labeled)
DB-RLC10	Remote Level Control - Rotary Optical Encoder - black
DB-RLC10C	Remote Level Control - Rotary Optical Encoder - black (Custom Labeled)
DB-RLC10K	Remote Level Controller - 0 to 10 k Ohm - black
DB-RLC10KC	Remote Level Controller - 0 to 10 k Ohm - black (Custom Labeled)
DB-RLC10KM	Remote Level Control with Muting - black
DB-RLC10KMC	Remote Level Control with Muting - black (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DB-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder - black
DB-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder - black (Custom Labeled)
DB-RLC2	Remote Level Controller - Ramp - black
DB-RLC2C	Remote Level Controller - Ramp - black (Custom Labeled)
DB-RLC3	Remote Level Controller - Preset Levels - black
DB-RLC3C	Remote Level Controller - Preset Levels - black (Custom Labeled)
DB-RT2	Remote Control Selector - black
DB-RT2C	Remote Control Selector - black (Custom Labeled)
DB-SH1	Stereo Headphone Amplifier - Decora® panel with user level control - black
DB-SH1C	Stereo Headphone Amplifier - Decora® panel with user level control - black (Custom Labeled)
DB-SH1M	Stereo Headphone Amplifier - stainless Decora® panel with user level control - black
DB-SH1MC	Stereo Headphone Amplifier - stainless Decora® panel with user level control - black (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DB-TPA1A	3.5 Watt Decora Audio Power Amplifier - Black (Compatible with Guest Room Audio System)

-

Model	Description
DB-TPA1AC	3.5 Watt Decora® Audio Power Amplifier - Black (Compatible with Guest Room Audio System) (Custom Labeled)
DB-TPR1A	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output - black
DB-TPR1AC	Active Single-Pair Receiver - Twisted Pair Format-A - XLR mic/line output - black (Custom Labeled)
DB-TPR2A	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs - black
DB-TPR2AC	Active Two-Pair Receiver - Twisted Pair Format-A - stereo phono jack outputs - black (Custom Labeled)
DB-TPR3A	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs - black
DB-TPR3AC	Active Three-Pair Receiver - Twisted Pair Format-A - XLR and stereo phono outputs - black (Custom Labeled)
DB-TPS1A	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom - black
DB-TPS1AC	Active Single-Pair Sender - Twisted Pair Format-A - XLR mic input w phantom - black (Custom Labeled)
DB-TPS2A	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs - black

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DB-TPS2AC	Active Two-Pair Sender - Twisted Pair Format-A - stereo phono jack inputs - black (Custom Labeled)
DB-TPS3A	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in - black
DB-TPS3AC	Active Three-Pair Sender - Twisted Pair Format-A - XLR mic & stereo phono in - black (Custom Labeled)
DB-TPS2AMC	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-TPS2AM	Active Two-Pair Sender - Twisted Pair Format-A - XLR microphone & stereo Mini-jack in - Black
DB-TPS8A	Format-A Multiple Location Audio Sender - Black (Compatible with Guest Room Audio System)
DB-TPS8AC	Format-A Multiple Location Audio Sender (Compatible with Guest Room Audio System) - black (Custom Labeled)
DB-XLR2	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - black
DB-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - black (Custom Labeled)
DB-XLR2F	Dual XLR 3-pin Female Jacks on D Plate - Solder type - black
DB-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type - black (Custom Labeled)
DB-XLR2M	Dual XLR 3-pin Male Jacks on D Plate - Solder type - black
DB-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type - black (Custom Labeled)
DB-XLR3F	XLR 3-pin Female Jack on D Plate - Solder type - black
DB-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type - black (Custom Labeled)
DB-XLR3M	XLR 3-pin Male Jack on D Plate - Solder type - black
DB-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type - black (Custom Labeled)
DC-1B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black
DB-TPSL1A	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Black
DB-TPSL1AC	Active Single-Pair Sender - Twisted Pair Format-A - Mini-Jack & Stereo RCA In - Black (Custom Labeled)
DB-TPSL2A	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Black
DB-TPSL2AC	Active Two-Pair Sender - Twisted Pair Format-A - XLR Microphone & Stereo RCA In - Black (Custom Labeled)
DB-TPSM2A	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - Black
DB-TPSM2AC	Active Two-Pair Sender Dual Microphone Preamplifier - Format-A - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
DS-CIJ3	Consumer Input Jacks - Mono
DS-CIJ3D	Consumer Input Jacks - Stereo
D-CIJ3	Consumer Input Jacks - Mono

-

Model	Description
D-CIJ3C	Consumer Input Jacks - Mono (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-CIJ3D	Consumer Input Jacks - Stereo

-

Model	Description
D-CIJ3DC	Consumer Input Jacks - Stereo (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-D1	Single plate for standard and specialty connectors

-

Model	Description
D-D1C	Single plate for standard and specialty connectors (Custom Labeled)
D-D1TC	Single plate for standard and specialty connectors - Top Hole Position (Custom Labeled) (See Part # ZCST-LBL for setup charge)
D-D1T	Single plate for standard and specialty connectors - Top Hole Position

### Remote Panels & Controls - Connector Plates

Model	Description
D-D2	Double plate for standard and specialty connectors

-

Model	Description
D-D2C	Double plate for standard and specialty connectors (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DD-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - White
DD-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - White
DD-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - White
DD-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White
DD-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White
DD-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Black
DDB-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black
DDB-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN22	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Stainless Steel

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DDS-BN22C	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 XLR Out - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN2M	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN2MC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 2 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN2ML	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN2MLC	Bi-Directional Mic/Line Dante Interface 2 x 2 w/PoE - 1 XLR In and 1 Mini-jack In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - 2 XLR In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-BN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Stainless Steel
DDB-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface - Black
DD-BTN44C	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-BTN44	Wall-Mounted Bi-Directional Line-Level and Bluetooth Audio Dante Interface
DD-RN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White
DD-RN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-RN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White
DD-RN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DD-RN42	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - White
DD-RN42C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - White (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

Model	Description
DDB-RN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black
DDB-RN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-RN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black
DDB-RN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDB-RN42	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - Black
DDB-RN42C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-RN31	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-RN31C	Bi-Directional Mic/Line Dante Interface 4 x 4 w/PoE - Software Configurable - 2 XLR In, 2 RCA In, 1 Mini-jack In, 1 Mini-jack Out, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-RN40	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel
DDS-RN40C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 4 XLR In, 2 Out on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DDS-RN42	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - Stainless Steel
DDS-RN42C	Bi-Directional Mic/Line Dante Interface 4 x 2 w/PoE - Software Configurable - 2 XLR In, 2 XLR Out, 2 In on Rear-Panel Terminal Block - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)

### Remote Panels & Controls - Connector Plates

Model	Description
D-F	Plate with Grounded Double Type F

-

Model	Description
D-FC	Double Type F Jack on D Plate (Custom Labeled)
D-HA1A	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System)
D-HA1AC	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System) (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
D-J1	Microphone Input Assembly - XLR, Terminal block

-

Model	Description
D-J1C	Microphone Input Assembly - XLR, Terminal block (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-J2	Line Input Assembly - RCA jacks, Terminal block

-

Model	Description
D-J2C	Line Input Assembly - RCA jacks, Terminal block (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block

-

Model	Description
D-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block (Custom Labeled)
D-J3MC	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block (Custom Labeled) (See Part # ZCST-LBL for setup charge)
D-J3M	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block

### Remote Panels & Controls - Connector Plates

Model	Description
D-MJPT	Mini-Jack Pass-Through Plate

-

Model	Description
D-MJPTC	Mini-Jack Pass-Through Plate (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
D-PHN1	Plate with Single Phono Jack

-

Model	Description
D-PHN1C	Single Phono Jack on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-PHN2	Plate with Two Phono Jacks

-

Model	Description
D-PHN2C	Dual Phono Jacks on D Plate - Solder type (Custom Labeled)
D-PSP1	Decora-Style Active Loudspeaker - White
D-PSP1A	Decora-Style Active Loudspeaker - Format-A - White
D-PSP1F	Decora-Style Active Loudspeaker - White - Installer Level Adjust
D-PSP1AF	Decora-Style Active Loudspeaker - Format-A - White - Installer Level Adjust
D-RGB1C	Component Video RGB Connection Plate (Custom Labeled)
D-RLC10	Remote Level Control - Rotary Optical Encoder
D-RLC10C	Remote Level Control - Rotary Optical Encoder (Custom Labeled)
D-RLC10K	Remote Level Controller - 0 to 10 k Ohm
D-RLC10KC	Remote Level Controller - 0 to 10 k Ohm (Custom Labeled)
D-RLC10KM	Remote Level Control with Muting
D-RLC10KMC	Remote Level Control with Muting (Custom Labeled)
D-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder
D-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder (Custom Labeled)
D-RLC2	Remote Level Controller - Ramp
D-RLC2C	Remote Level Controller - Ramp (Custom Labeled)
D-RLC3	Remote Level Controller - Preset Levels

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
D-RLC3C	Remote Level Controller - Preset Levels (Custom Labeled)
D-RT2	Remote Control Selector
D-RT2C	Remote Control Selector (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2	Plate with single 3-Pin XLR Female and single 3-Pin XLR Male

-

Model	Description
D-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2F	Plate with dual 3-Pin XLR Females

-

Model	Description
D-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-XLR2M	Plate with dual 3-Pin XLR Males

-

Model	Description
D-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
D-XLR3F	Plate with 3-Pin XLR Female

-

Model	Description
D-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type (Custom Labeled)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
D-XLR3M	Plate with 3-Pin XLR Male

-

Model	Description
D-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type (Custom Labeled)
DB-1/4F	1/4 in. Phone Jack on D Plate - Solder type - black
DB-1/4FC	1/4 in. Phone Jack on D Plate - Solder type - black (Custom Labeled)
DB-A2	Line Output Assembly - RCA jacks, Terminal block - black
DB-A2C	Line Output Assembly - RCA jacks, Terminal block - black (Custom Labeled)
DB-BLANK	D Style Plate with No Jack Cut Out - black
DB-BLANKC	D Style Plate with No Jack Cut Out - black (Custom Labeled)
DB-CIJ3	Consumer Input Jacks - Mono - black
DB-CIJ3C	Consumer Input Jacks - Mono - black (Custom Labeled)
DB-CIJ3D	Consumer Input Jacks - Stereo - black
DB-CIJ3DC	Consumer Input Jacks - Stereo - black (Custom Labeled)
DB-D1	Single plate for standard and specialty connectors - black
DB-D1C	Single plate for standard and specialty connectors - black (Custom Labeled)
DB-D2	Double plate for standard and specialty connectors - black
DB-D2C	Double plate for standard and specialty connectors - black (Custom Labeled)
DB-FC	Double Type F Jack on D Plate - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-F	Double Type F Jack on D Plate - Black
DB-BNCC	BNC Jack on D Plate - Solder type - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BNC/DC	Insulated Double BNC Jack on D Plate - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BNC/D	Insulated Double BNC Jack on D Plate - Black
DB-BNC	BNC Jack on D Plate - Solder type - Black
DB-D1TC	Single plate for standard and specialty connectors - Top Hole Position - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-D1T	Single plate for standard and specialty connectors - Top Hole Position - Black

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DB-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface - Black (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DB-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface - Black

### Remote Panels & Controls - Connector Plates

Model	Description
DS-1/4F	Plate with Single Stereo 1/4" Phone Jack - Stainless Steel
DS-AVM4	Audio/Video Decora Jack Panel - Stainless - DB15, Phono, Mini

-

Model	Description
DS-AVM4C	Audio/Video Decora® Jack Panel - Stainless - DB15, Phono, Mini (Custom Labeled)

### High Definition Products - Connector Plates

Model	Description
DS-1/4FC	1/4 in. Phone Jack on D Plate - Solder type - Stainless Steel

### Remote Panels & Controls - Connector Plates

Model	Description
DS-Blank	Blank Mounting Plate - Stainless Steel

-

Model	Description
DS-BLANKC	D Style Plate with No Jack Cut Out - Stainless Steel (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DS-BNC	Plate with Grounded BNC jack w/ solder terminals - Stainless Steel
DS-BNC/D	Plate with Isolated Double BNC - Stainless Steel

-

Model	Description
DS-BNC/DC	Insulated Double BNC Jack on D Plate - Stainless Steel
DS-BNCC	BNC Jack on D Plate - Solder type - Stainless Steel
DS-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface - Stainless Steel
DS-CIJ3C	Consumer Input Jacks - Mono
DS-CIJ3DC	Consumer Input Jacks - Stereo

### Remote Panels & Controls - Connector Plates

Model	Description
DS-D1	Single plate for standard and specialty connectors - Stainless

-

Model	Description
DS-D1C	Single plate for standard and specialty connectors - Stainless (Custom Labeled)
DS-D1TC	Single plate for standard and specialty connectors - Top Hole Position - Stainless Steel (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DS-D1T	Single plate for standard and specialty connectors - Top Hole Position - Stainless Steel

### Remote Panels & Controls - Connector Plates

Model	Description
DS-D2	Double plate for standard and specialty connectors - Stainless

-

Model	Description
DS-D2C	Double plate for standard and specialty connectors - Stainless (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DS-F	Plate with Grounded Double Type F - Stainless Steel

-

Model	Description
DS-FC	Double Type F Jack on D Plate - Stainless Steel

### Remote Panels & Controls - Connector Plates

Model	Description
DS-J1	Microphone Input Assembly - XLR, Terminal block - Stainless

-

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-J1C	Microphone Input Assembly - XLR, Terminal block - Stainless (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DS-J2	Line Input Assembly - RCA jacks, Terminal block - Stainless

-

Model	Description
DS-J2C	Line Input Assembly - RCA jacks, Terminal block - Stainless (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DS-J3	Mic/Line Input Assembly - XLR, RCA, Terminal block - Stainless

-

Model	Description
DS-J3C	Mic/Line Input Assembly - XLR, RCA, Terminal block - Stainless (Custom Labeled)
DS-J3MC	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block - Stainless (Custom Labeled) (See Part # ZCST-LBL for setup charge)
DS-J3M	Mic/Line Input Assembly - XLR, Mini-jack, Terminal block - Stainless

### Remote Panels & Controls - Connector Plates

Model	Description
DS-MJPT	Mini-Jack Pass-Through Plate - Stainless

-

Model	Description
DS-MJPTC	Mini-Jack Pass-Through Plate - Stainless (Custom Labeled)

### Remote Panels & Controls - Connector Plates

Model	Description
DS-PHN1	Plate with Single Phono Jack - Stainless Steel

-

Model	Description
DS-PHN1C	Single Phono Jack on D Plate - Solder type - Stainless Steel

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

### Remote Panels & Controls - Connector Plates

Model	Description
DS-PHN2	Plate with Two Phono Jacks - Stainless Steel

-

Model	Description
DS-RLC10	Remote Level Control - Rotary Optical Encoder - stainless steel
DS-RLC10C	Remote Level Control - Rotary Optical Encoder - stainless steel (Custom Labeled)
DS-RLC10K	Remote Level Controller - 0 to 10 k Ohm - stainless steel
DS-RLC10KC	Remote Level Controller - 0 to 10 k Ohm - stainless steel (Custom Labeled)
DS-RLC10KM	Remote Level Control with Muting - stainless steel
DS-RLC10KMC	Remote Level Control with Muting - stainless steel (Custom Labeled)
DS-RLC10M	Remote Level Control with Muting - Rotary Optical Encoder - stainless steel
DS-RLC10MC	Remote Level Control with Muting - Rotary Optical Encoder - stainless steel (Custom Labeled)
DS-RLC2	Remote Level Controller - Ramp - stainless steel
DS-RLC2C	Remote Level Controller - Ramp - stainless steel (Custom Labeled)
DS-RLC3	Remote Level Controller - Preset Levels - stainless steel
DS-RLC3C	Remote Level Controller - Preset Levels - stainless steel (Custom Labeled)
DS-RT2	Remote Control Selector - stainless steel
DS-RT2C	Remote Control Selector - stainless steel (Custom Labeled)
DS-PHN2C	Dual Phono Jacks on D Plate - Solder type - Stainless Steel
DS-PSP1	Decora-Style Active Loudspeaker - Stainless Steel
DS-PSP1A	Decora-Style Active Loudspeaker - Format-A - Stainless Steel
DS-PSP1F	Decora-Style Active Loudspeaker - Stainless Steel - Installer Level Adjust
DS-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Stainless Steel - Installer Level Adjust

### Remote Panels & Controls - Connector Plates

Model	Description
DS-XLR2	Plate with single 3-Pin XLR Female and single 3-Pin XLR Male - Stainless Steel
DS-XLR2C	XLR 3-pin Female & 3-pin Male on D Plate - Solder type - Stainless Steel

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-XLR2F	Plate with dual 3-Pin XLR Females - Stainless Steel
DS-XLR2FC	Dual XLR 3-pin Female Jacks on D Plate - Solder type - Stainless Steel
DS-XLR2M	Plate with dual 3-Pin XLR Males - Stainless Steel
DS-XLR2MC	Dual XLR 3-pin Male Jacks on D Plate - Solder type - Stainless Steel
DS-XLR3F	Plate with 3-Pin XLR Female - Stainless Steel
DS-XLR3FC	XLR 3-pin Female Jack on D Plate - Solder type - Stainless Steel
DS-XLR3M	Plate with 3-Pin XLR Male - Stainless Steel
DS-XLR3MC	XLR 3-pin Male Jack on D Plate - Solder type - Stainless Steel

### Remote Panels & Controls - Remote Control

Model	Description
D-ECR1	Remote Control

-

Model	Description
D-ECR1C	Remote Control (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
D-RC2	Remote Audio Mixing Control

-

Model	Description
D-RC2C	Remote Audio Mixing Control (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
D-RC2M	Remote Audio Mixing Control with Muting

-

Model	Description
D-RC2MC	Remote Audio Mixing Control with Muting (Custom Labeled)
D-RC2ST	2 Channel Remote Control for STICK-ONS

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
D-RC2STC	2 Channel Remote Control for STICK-ONs (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
D-RC3	Remote Audio Mixing Control

-

Model	Description
D-RC3C	Remote Audio Mixing Control (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
D-RC3M	Remote Audio Mixing Control with Muting

-

Model	Description
D-RC3MC	Remote Audio Mixing Control with Muting (Custom Labeled)
D-RC4RU	4 Channel Remote Control for RACK-UPs
D-RC4RUC	4 Channel Remote Control for RACK-UPs (Custom Labeled)
D-RC4ST	4 Channel Remote Control for ST-SX4
D-RC4STC	4 Channel Remote Control for ST-SX4 (Custom Labeled)
D-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A
D-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A (Custom Labeled)
D-RC4M	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR (Available Jan. 2014)
D-RC4MC	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR (Custom Labeled) (Available Jan. 2014)

### Remote Panels & Controls - Remote Control

Model	Description
D-RCX1	Room Control for RCX-5C Room Combiner - Decora
D-RCX10R	Rotary Level Control - Rotary Encoder - Decora

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

-

Model	Description
D-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® (Custom Labeled)
D-RCX1C	Room Control for RCX-5C Room Combiner - Decora® (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
D-RCX2	Room Control for RCX-5C Room Combiner - Decora

-

Model	Description
D-RCX2C	Room Control for RCX-5C Room Combiner - Decora® (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RC2	Remote Audio Mixing Control - Stainless

-

Model	Description
DS-RC2C	Remote Audio Mixing Control - Stainless (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RC2M	Remote Audio Mixing Control with Muting - Stainless

-

Model	Description
DS-RC2MC	Remote Audio Mixing Control with Muting - Stainless (Custom Labeled)
DS-RC2ST	2 Channel Remote Control for STICK-Ons - stainless steel
DS-RC2STC	2 Channel Remote Control for STICK-Ons - stainless steel (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RC3	Remote Audio Mixing Control - Stainless

-

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-RC3C	Remote Audio Mixing Control - Stainless (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RC3M	Remote Audio Mixing Control with Muting - Stainless

-

Model	Description
DS-RC3MC	Remote Audio Mixing Control with Muting - Stainless (Custom Labeled)
DS-RC4RU	4 Channel Remote Control for RACK-Ups - stainless steel
DS-RC4RUC	4 Channel Remote Control for RACK-Ups - stainless steel (Custom Labeled)
DS-RC4ST	4 Channel Remote Control for ST-SX4 - stainless steel
DS-RC4STC	4 Channel Remote Control for ST-SX4 - stainless steel (Custom Labeled)
DS-RCS4	Remote Channel Selector - 4 Channels - controls RU-SX4A - stainless steel
DS-RCS4C	Remote Channel Selector - 4 Channels - controls RU-SX4A - stainless steel (Custom Labeled)
DS-RC4M	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR - Stainless (Available Jan. 2014)
DS-RC4MC	4 Channel Remote Control for RU-ASX4D and RU-ASX4DR - Stainless (Custom Labeled) (Available Jan. 2014)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RCX1	Room Control for RCX-5C Room Combiner - Decora Stainless
DS-RCX10R	Rotary Level Control - Rotary Encoder - Decora Stainless

-

Model	Description
DS-RCX10RC	Rotary Level Control - Rotary Encoder - Decora® Stainless (Custom Labeled)
DS-RCX1C	Room Control for RCX-5C Room Combiner - Decora® Stainless (Custom Labeled)

### Remote Panels & Controls - Remote Control

Model	Description
DS-RCX2	Room Control for RCX-5C Room Combiner - Decora Stainless

-

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-RCX2C	Room Control for RCX-5C Room Combiner - Decora® Stainless (Custom Labeled)

### Remote Panels & Controls - Remote Control - Ultrastyle

Model	Description
DS-A2	Line Output Assembly - RCA jacks, Terminal block - Stainless

-

Model	Description
DS-A2C	Line Output Assembly - RCA jacks, Terminal block - Stainless (Custom Labeled)

### Remote Panels & Controls - Remote Control - Ultrastyle

Model	Description
RU-D1	RACK-UP Mount for Decora® Module

### Power Supplies & Accessories - Accessories

Model	Description
EC-6	6 Power Supply extension cords, 6 in. (North American version only)
FP-DCC1	DC / DC Converter (11 to 14 volt input; 24 volt @ 50 mA & 400 mA outputs)
FP-PSB1A	Power Supply Mounting Bracket
ST-PD5U	24 Vdc Switching Power Supply Distributor (1 input to 5 supply outputs, for use with PS-24U2/A)
WH1	Power Supply Mounting Adapter, surface mount (Mounts 6 supplies)
WH2	Power Supply Mounting Adapter, 19" rack mount (Mounts 6 supplies)

### Power Supplies & Accessories - Power Supplies

Model	Description
PS-24AS	24 Vdc 500mA N. American Pwr Supply - Leads
PS-24KS	24 Vdc 1 A North American Power Supply - Leads
PS-24KX	24 Vdc Switching Power Supply, Interchangeable AC Plug, 1 A, dc Plug
PS-24V3	24 Vdc Switching Power Supply, No Cord, 3 A, dc Plug
PS-24V3A	24 Vdc Switching Power Supply, with North American cord, 3 A, dc Plug

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Digital - Digital Audio

Model	Description
FP-DFC2	Digital Audio Format Converter (S/PDIF inputs to AES/EBU output)
FP-SPR1	SPDIF Repeater (Recovers low signals; converts between coaxial & optical)
HR-ADC1	Analog to Digital Converter
HR-DAC1	D to A Converter - 24/192 (S/PDIF and AES/EBU inputs; balanced XLR and terminal block, unbalanced RCA stereo audio outputs)
HR-DDA4	Digital Audio Distributor (1 x 4; S/PDIF and AES/EBU inputs; S/PDIF and AES/EBU outputs; converts between formats)
HR-DSX4	Digital Audio Selector (4 x 1; S/PDIF and AES/EBU inputs; S/PDIF and AES/EBU outputs; remote controllable)

### Digital - Digital Interface

Model	Description
RU-SC2	Serial Converter (Full duplex RS-232 / RS-422)

### Test Equipment - Instruments

Model	Description
PT-AMG2	Audio Monitor/Generator (Portable meter/generator, mic/line outputs/inputs, 700 Hz tone, battery or DC power)
PT-ASG1	Portable Audio Signal Generator (Mic or Line out, 700 Hz ultra stable frequency and level, battery or DC power)

### Test Equipment - Line Amplifiers

Model	Description
PT-IC1	Nylon Carrying Case (For PT-AMG1 and PT-ASG1 and accessories)

### Engineered Systems - RCX

Model	Description
RCX-5C	Room Combining System Controller (Control up to 5 rooms, may be linked w/ second RCX-5C)
RCX-5CM	Room Combining System Controller (5 rooms, may be linked w/ second RCX-5C; mutes local mics in music mode)
RCX-BZL	Wall Mount Bezel (For RCX-CD1 and RCX-CD1L remote panels)
RCX-CD1	Remote Control Panel for RCX-5C Room Combiner (Semi-custom remote control panel for RCX-5C controller)
RCX-CD1L	Remote Control Panel for RCX-5C Room Combiner (RCX-CD1 control panel for RCX-5C with lock option)

### Engineered Systems - Sourceflex

Model	Description
SAS-8C	SourceFlex 8 Station Audio Controller (Supports up to 8 SourceFlex listening stations)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
SAS-8i	SourceFlex Audio Input Interface and 4 Station Audio Controller (8 Audio Inputs - One per system; Supports up to 4 SourceFlex listening stations)
SAS-HC8	SourceFlex Headphone Control Station (Headphone station for exercise equipment or countertop)
SAS-HCB	Headphone Control Bracket
SAS-HCT	Headphone Control Table Mount

Model	Description
SF-XMN4	Microphone to Network Interface - Dante
SF-UN1	USB to Network Interface - Dante
SF-RA1	SysFlex Rack Adapter
SF-NP40D	Network to 40 Watt Stereo Power Amplifier - Dante
SF-NL2	Network to Audio Interface - Dante
SF-NH1	Network to Stereo Headphone Amplifier - Dante
SF-MSM1	Microphone Stand Mount for SysFlex Modules
SF-ND2	Network to Digital Audio Interface - Dante
SF-DN4	Digital Audio to Network Interface - Dante
SF-BNC2	Bidirectional Unbalanced Stereo Audio Network Interface - Dante
SF-NP40DE	Network to 40 Watt Stereo Power Amplifier - Dante - Export Model - Excludes Power Cord
SF-UCB2	Under Counter Bracket Pair for SysFlex Products
SF-PA50A	50 W Mono Audio Amplifier - 70 V or 100 V - Includes North American Power Cord
SF-NP50AX	Network to 50 W Mono Audio Amplifier - 70 V or 100 V - Dante - Export Model - Excludes Power Cord
SF-PA50AX	50 W Mono Audio Amplifier - 70 V or 100 V - Export Model - Excludes Power Cord
SF-NP35E	PoE++ Network to 35 W Mono Audio Amplifier - 70 V or 100 V - Dante
SF-NP50A	Network to 50 W Mono Audio Amplifier - 70 V or 100 V - Dante - Includes North American Power Cord
SF-NP16E	PoE+ Network to 16 W Mono Audio Amplifier - 70 V or 100 V - Dante

### Switching & Control - Control Accessories

Model	Description
RU2-CS1	8 Open-collector Outputs, 8 0 to 10 V Outputs, 8 Status Inputs

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

-

Model	Description
RU-ADA4D	Audio Distribution Amplifier - Balanced/Unbalanced - 2x4, 1x8
RU-ADA8D	Audio Distribution Amplifier - Balanced/Unbalanced - 1x8, 2x16

### Switching & Control - Switching

Model	Description
RU-SQ6A	Sequencing Controller (Power up & down control of 6 sequential events)

-

Model	Description
FP-HRA	10.4" Rack Mount for FLAT-PAK Series Products

### Switching & Control - Switching

Model	Description
ST-LCR1	Logic Controlled Relay-Momentary (DPDT & open-collector)
ST-LCR1H	High Power Logic Controlled Relay (8A relay contacts for switching of speaker lines)
ST-LCR2	Logic Controlled Relay-Alternate Action (DPDT & open-collector)
ST-LCR3	Logic Controlled Relay-Alternate Pulse Dual Relays (Start pulse and End pulse; dual SPST & open-collector)

### Video - Switching & Control

Model	Description
FP-AVDA4	Audio / Video Distribution Amp (1 x 4 NTSC / PAL video plus stereo unbalanced audio)
FP-VDA4	Video Distribution Amplifier (1 x 4 NTSC / PAL video DA, BNC only)

### Video - System 84

Model	Description
RU-VA2	Video Attenuator (BNC 75 input & output, adjustable, 2 channel)

-

Model	Description
RU-VCA2A	Digitally Controlled 2 Channel Audio Attenuator
RU-VCA6A	Digitally Controlled 6 Channel Audio Attenuator

### Video - Transformer Products

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RU-AVX4	Audio/Video Switcher (4 x 1 NTSC/PAL video and stereo unbalanced audio source selector, connectorized)
RU-BNF	Format A Bi-Directional Network Interface - Format A, Bal Line Aux Inputs, Dante Input - 3 Format A, 1 Balanced Line Aux Outputs, Dante Output
RU-BNFP	Format A Bi-Directional Network Interface - Format A, Bal Line Aux Inputs, Dante Input - 3 Format A, 1 Balanced Line Aux Outputs, Dante Output - with PoE
EZ-AVX4	Composite Video and Stereo Audio Input Switcher - 4X1
EZ-HSX4	Stereo Audio Input Switcher with Headphone Amp - 4X1
EZ-HSX4X	Stereo Audio Input Switcher with Headphone Amp - 4X1
EZ-MCP1X	Microphone Compressor
EZ-SX4	Stereo Audio Input Switcher - 4X1
EZ-SX4X	Stereo Audio Input Switcher - 4X1
RU-VSX4	4 Input Video Switcher (4 loop-through inputs; 75 output)
TX-AVX	Automatic Video Switch (2 video inputs switched to 1 output)

-

Model	Description
TX-HRA3	10.4" Rack Mount for 3 TX Series Products

### Video - Transformer Products

Model	Description
TX-MVX	Manual Video Switch (2 inputs switched to 1 output; gnd terminal to select)
TX-VCR	Video Controlled Relay (NTSC/PAL video input with loop thru, SPDT contacts)
EZ-HK2	Composite Video Hum Killer
EZ-HK3	Audio/Video Hum Killer

### Video - VGA/XGA

Model	Description
EZ-VM14	VGA/XGA Distribution Amplifier - 1x4
EZ-VMD4	VGA/XGA Distribution Amplifier - 1X4

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Video - Line Amplifiers

Model	Description
TX-VLA1	Video Line Amplifier (Adjustable gain and equalization)

### Accessories - General Wiring Accessories

Model	Description
ACB-1	Headphone Jack Box
ACB-2	Dual Phono Jack Box
AMS-1/4F	1/4 inch Stereo Phone Jack (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-1/8F	1/8" Stereo Mini-Jack - Terminal block connections
AMS-10K	10 K Linear Pot & Knob Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-10KA	10 K Audio Taper Pot & Knob Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-1RC	Single Phono Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-BNC	BNC Jack Assembly for Video (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-FP1	Filler Plate (covers unused accessory ports in the AMS-UF1 or RMS-4 wall plate)
AMS-HR6	Mounting panel for 6 AMS accessories - with installer label track; fits HR-RA2
AMS-LEDB	LED Indicator Assy - Blue
AMS-LEDG	LED Indicator Assy - Green
AMS-LEDR	LED Indicator Assy - Red
AMS-LEDY	LED Indicator Assy - Yellow
AMS-PB1	Momentary Pushbutton Switch for use with AMS-UF1 or RMS-4 wall plate (SPDT, 2 Amp contacts)
AMS-PJ1	Power Jack Assembly for use with AMS-UF1 (for PS-24U,B & E)
AMS-RU4	Mounting panel for 4 AMS Accessories
AMS-SW2	Rocker Switch Assembly for use with AMS-UF1 or RMS-4 wall plate (DPDT, 2 Amp contacts)
AMS-TS1	Illuminated Touch-Activated Pushbutton
AMS-XLF	XLR Female Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-XLM	XLR Male Jack Assembly (For use with AMS-UF1 universal frame or RMS-4 wall plate)
AMS-XLRMA	Selectable Mic/Line XLR Output with Phantom Block
DTB	Detachable Terminal Block for STICK-ON modules

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
D-TPA1A	3.5 Watt Decora Audio Power Amplifier (Compatible with Guest Room Audio System)

-

Model	Description
D-TPA1AC	3.5 Watt Decora® Audio Power Amplifier (Compatible with Guest Room Audio System) (Custom Labeled)

### Accessories - General Mounting Accessories

Model	Description
CP-1	Single White Cover Plate (Use w/ R style remote controls & D style connector plates)

-

Model	Description
CP-1B	Single Cover Plate - black
CP-1G	Single Cover Plate - gray

### Accessories - General Mounting Accessories

Model	Description
CP-2 Order SKU #CP2/RDL	Double White Cover (Use w/ R style remote controls & D style connector plates)

-

Model	Description
CP-2B	Double Cover Plate - black
CP-2G	Double Cover Plate - gray

### Accessories - General Mounting Accessories

Model	Description
DMK-5	Detachable Mounting Pads (Kit of 5)
MB-1	Mounting Kit - mounts RU, TX & STICK-ON modules
MB-2	Mounting Kit - mounts RU & TX modules
MB-3	Mounting Kit, mounts STICK-ON or TX in FP-RRR or FP-RRH
MBR-1U	Mounting Brackets - mounts 1RU product above or below a shelf or any flat surface - kit of 2
RC-1UR	19" Universal Rack Chassis
RK-2U	19" Utility Rack Chassis (Wall or shelf mounting 2RU height)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RK-2UX	Utility Rack Chassis Extension (Expands RK-2U to 4RU height, multiple RK-2UX for added height)
RM-FP1	One Rack Unit 19 in. Filler Panel, 18 gauge reinforced
RM-FP2	Two Rack Unit 19 in. Filler Panel, 18 gauge reinforced
SR-TB10	Terminal Strip for SR-4 (Provides 10 screw terminals with laminate numbered 1 through 10)
UC-1R	Single Wide Enclosure - RACK-UP Mounts
UC-2R	Double Wide Enclosure - RACK-UP Mounts
WB-1U	Universal Wall Box, Single for US & International Installations (Designed for installation in either new or existing walls)
WB-2U	Universal Wall Box, Double for US & International Installations (Designed for installation in either new or existing walls)
WDG1R	Table Top Chassis for RU, MAX RU, ST and TX Series
HR-FP1	HALF-RACK Filler Panel - fills unused half of an HR-RA2
HR-HRA1	Half Rack Series Half Rack Adapter
HR-MCP2	Dual Channel Microphone Compressor
HR-RA2	Rack adapter for HALF-RACK series - 19 inch rack mount frame for HALF-RACK series modules, AMS panel, filler panel

### Accessories - HD Series Mounting Accessories

Model	Description
HD-ASC1	HD Series Amplifier Security Cover
HD-BP1	HD Series Amplifier BACK-PACK Rear Cover
HD-FP1	HD Series Filler Panel
HD-FP2L	HD Series Filler Panel with Lens
HD-HRA1	HD Series Half Rack Adapter
HD-RA2	HD Series Rack Adapter
HD-WM1	Wall Mount Bracket for HD Series Amplifiers with "U" in Model Number
HD-WM2	Wall Mount Bracket for HD Series Amplifiers without "U" in Model Number

### Accessories - General Mounting Accessories

Model	Description
HR-RU1	HALF-RACK mounting adapter kit for RACK-UP modules - adapts one RACK-UP to fit an HR-RA2
DC-1G	Desktop Chassis - Gray

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DC-1W	Desktop Chassis - White

-

Model	Description
DC-2B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

### Accessories - General Mounting Accessories

Model	Description
DC-2G	Desktop Chassis - Gray
DC-2W	Desktop Chassis - White

-

Model	Description
DC-3B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

### Accessories - General Mounting Accessories

Model	Description
DC-3G	Desktop Chassis - Gray
DC-3W	Desktop Chassis - White

-

Model	Description
DC-4B	Desktop or Wall Mounted Chassis for Decora® Remote Controls and Panels - black

### Accessories - General Mounting Accessories

Model	Description
DC-4G	Desktop Chassis - Gray
DC-4W	Desktop Chassis - White

-

Model	Description
DC-F	Desktop Chassis Foot Kit for DC Series Desktop Chassis

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Accessories - General Mounting Accessories

Model	Description
SMB-1G	Surface Mount Box - Gray
SMB-1B	Single Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-1W	Surface Mount Box - White
SMB-2G	Surface Mount Box - Gray
SMB-2B	Double Single Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-2W	Surface Mount Box - White
SMB-3G	Surface Mount Box - Gray
SMB-3B	Triple Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-3W	Surface Mount Box - White
SMB-4G	Surface Mount Box - Gray
SMB-4B	Quadruple Surface Mount Box for Decora® Remote Controls and Panels - black
SMB-4W	Surface Mount Box - White

### Accessories - Din Rail Mounting Accessories

Model	Description
DR35-1M	Din Rail, 35 mm x 7.5 mm, 1 meter in length (mounts DRA adapters and OEM products)
DRA-35F	Din Rail Adapter for FLAT-PAK Module
DRA-35P	Din Rail Adapter for PS-24U2 Power Supply
DRA-35R	Din Rail Adapter for RACK-UP Module
DRA-35S	Din Rail Adapter for STICK-ON Module
DRA-35S6	Din Rail Adapter for 6 STICK-ONS
DRA-35T	Din Rail Adapter for TX Modules

### Accessories - EZ Mounting Accessories

Model	Description
EZ-CC6	Component Chassis for 6 Increments of 1/6 Rack Width
EZ-DC1	Desktop Chassis for 1/6 Rack Width EZ Products
EZ-DC2	Desktop Chassis for 1/3 Rack Width EZ Products

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
EZ-FP1	Filler Panel - 1/6 Rack Width for EZ-RA6 or EZ-CC6
EZ-RA6	Rack Adapter for 6 Increments of 1/6 Rack Width
EZ-SD1	Storage Drawer - 1/6 Rack Width for EZ-RA6 or EZ-CC6
EZ-SD2	Storage Drawer - 1/3 Rack Width for EZ-RA6 or EZ-CC6
EZ-SMB1	Surface Mount Bezel for 1/6 Rack Width EZ Products
EZ-SMB2	Surface Mount Bezel for 1/3 Rack Width EZ Products
EZ-UCB2	Under Counter Bracket Pair for all EZ Product Widths

### Accessories - Flat-Pak Mounting Accessories

Model	Description
FP-CT1	Locking Cable Tie Bracket for FP-RRA/H
FP-RRA	Rack Adapter - FLAT-PAK Series, front or rear
FP-RRAH	Rack Adapter, Hinged - FLAT-PAK Series, front or rear
FP-RRB1	Rear rack rail mounting kit for any FLAT-PAK module

### Accessories - Stick-On Mounting Accessories

Model	Description
MSR-1	Snap Rail Adapter - mounts 1 STICK-ON in snap rail
RC-PS5	19" Rack Mount for 5 Desktop Power Supplies
SR-4	Mounting Frame for STICK-ON and TX Modules (Backboard or wall mounting, optional SR-TB10 terminal block w/legend)
SMK-12	STICK-ON Mounting Plate - mounts up to 12 STICK-ONS
SR-10	STICK-ON Mounting Rack (Provides mounting of up to 10 STICK-ONS)
ST-RRB1	Rear rack rail mounting kit for any STICK-ON module
STR-19A	Racking System (Holds 12 STICK-ONS in 2RU 19" hinged panel frame)
STR-19B	Racking System (Angle mounts 10 STICK-ONS in a 2RU 19" hinged panel frame)

### Accessories - Pole Mounting Accessories

Model	Description
PM-1T	Flat-Pak Pole Mount Adapter - Horizontal Tray for Flat-Pak, TX and STICK-ON Modules
PM-3T	Pole Mount Tray - black

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

Model	Description
PM-3TW	Pole Mount Tray - white

### Accessories - Ultrastyle Design

Model	Description
RC-HPS3	Half Rack Adapter for 3 Desktop Power Supplies

-

Model	Description
RC-HPS1	10.4" Rack Mount for Desktop Power Supply and TX Module

### Accessories - Rack-Up Mounting Accessories

Model	Description
RU-BR1	Mounting Bracket for RU Series Products
RU-FP1R	RACK-UP Filler Panel
RU-HRA1	RACK-UP Series Half Rack Adapter
RU-LB2	Line-Level Bi-Directional Network Interface - 2 Balanced Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output
RU-LB2P	Line-Level Bi-Directional Network Interface - 2 Balanced Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output - with PoE
RU-LB4	Line-Level Bi-Directional Network Interface - 4 Balanced Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output
RU-LB4P	Line-Level Bi-Directional Network Interface - 4 Balanced Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output - with PoE
RU-RA3R	Rack adapter for RACK-UP series
RU-SMA1	RACK-UP Mounting Plate - mounts any RACK-UP module in a cabinet or other flat surface

### Accessories - TX Mounting Accessories

Model	Description
TX-RA5	19" Rack Adapter for TX Series products (Mount up to 5 TX modules in 1RU 19" rack panel)
TX-RRB1	Rear rack rail mounting kit for any TX series module

### Alerting - Broadcast-Specific

Model	Description
ACM-3	Amplitude Component Monitor for FM - Complete Kit

### Alerting - General Purpose

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
D-BZR	Piezo Alert Module

-

Model	Description
D-BZRC	Piezo Alert Module (Custom Labeled)

### Audio - Power Amplifiers

Model	Description
FP-PA20	Audio Power Amplifier (20 Watts RMS mono, 8 output, w/ integral compressor)
FP-PA20A	Audio Power Amplifier (20 Watts RMS mono, 70 V and 100 V outputs, w/ integral compressor)
FP-PA20B	Audio Power Amplifier (20 Watts RMS mono, 25 V output, w/ integral compressor)
FP-PA35A	Audio Amplifier 35 W, 25 V / 70 V / 100 V
HD-MA35	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35A	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-MA35U	35 Watt Mixer Amplifier - 4/8 Ohm Outputs
HD-MA35UA	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-MA35AX	35 Watt Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35A	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35U	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35UA	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35X	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-PA35AX	35 Watt Audio Power Amplifier - 25 V, 70 V, 100 V Outputs
HD-PA35UX	35 Watt Power Amplifier - 4/8 Ohm Outputs
HD-RA35U	35 Watt Remote Mixer Amplifier - 4/8 Ohm Outputs
HD-RA35UA	35 Watt Remote Mixer Amplifier - 25 V, 70 V, 100 V Outputs
HD-RA35UX	35 Watt Remote Mixer Amplifier - 4/8 Ohm Outputs
HD-RA35UAX	35 Watt Remote Mixer Amplifier - 25 V, 70 V, 100 V Outputs
RU-PA40D	40 W Stereo Audio Power Amp with VCA & Power Supply

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RU-PA40DE	40 W Stereo Audio Power Amp with VCA & Power Supply - without power cord
RU-PA518	Audio Power Amplifier (5 Watts stereo, 18 Watts bridged mono, w/ peak limiter)
RU-SH1	Stereo Headphone Amplifier - RACK-UP series with user level control

-

Model	Description
RU-SM16A	2 Channel Audio Meter - Average/Peak/Hold
RU-SM16D	4 Channel Audio Meter - Average/Peak/Hold

### Audio - Power Amplifiers

Model	Description
ST-IC1	Intercom Amplifier (1 microphone level input, 8 W output)
ST-MA2	Muting Monitor Amplifier (Selectable attenuation)
ST-PA18	18 Watt 8 W Audio Power Amplifier - STICK-ON series module
ST-PA2	2 Watt Power Amplifier (1 unbalanced line input; 8 & 600 outputs)
ST-PA6	6 Watt Power Amplifier (2 summed bal or unbal line inputs; 8 output, w/ EQ)
ST-SH2	Stereo Headphone Amplifier (L & R line in; 8 to 5 k L & R out; external level control)
TX-1W	Music-on-Hold Amplifier (1 unbal input; 1 bal & 1 unbal output, 1 Watt)
D-SH1	Stereo Headphone Amplifier

-

Model	Description
D-SH1C	Stereo Headphone Amplifier - Decora® panel with user level control (Custom Labeled)

### Audio - Power Amplifiers

Model	Description
D-SH1M	Stereo Headphone Amplifier - Decora panel with user level control

-

Model	Description
D-SH1MC	Stereo Headphone Amplifier - Decora® panel with user level control (Custom Labeled)
DS-HA1A	Format-A Stereo Headphone Amplifier - Stainless Steel (Compatible with Guest Room Audio System)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-HA1AC	Format-A Stereo Headphone Amplifier - Stainless Steel (Compatible with Guest Room Audio System) (Custom Labeled)

### Audio - Power Amplifiers

Model	Description
DS-SH1	Stereo Headphone Amplifier - Stainless Steel

-

Model	Description
DS-SH1C	Stereo Headphone Amplifier - Decora panel with user level control

### Audio - Power Amplifiers

Model	Description
DS-SH1M	Stereo Headphone Amplifier - stainless Decora panel with user level control

-

Model	Description
DS-SH1MC	Stereo Headphone Amplifier - stainless Decora® panel with user level control (Custom Labeled)
DB-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Black
D-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - White
DG-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Gray
DS-SP1A	2 Watt Decora-Style 8 Ohm Loudspeaker - Stainless Steel
DG-PSP1	Decora-Style Active Loudspeaker - Gray
DG-PSP1A	Decora-Style Active Loudspeaker - Format-A - Gray
DG-PSP1F	Decora-Style Active Loudspeaker - Gray - Installer Level Adjust
DG-PSP1AF	Decora-Style Active Loudspeaker - Format-A - Gray - Installer Level Adjust
D-BT1A	Wall-Mounted Bluetooth Audio Format-A Interface
D-BT1AC	Wall-Mounted Bluetooth Audio Format-A Interface (Custom Labeled) (See Part # ZCST-LBL for setup charge)

### Audio - Power Amplifiers

Model	Description
DS-TPA1A	3.5 Watt Decora Audio Power Amplifier - Stainless (Compatible with Guest Room Audio System)

-

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
DS-TPA1AC	3.5 Watt Decora® Audio Power Amplifier - Stainless (Compatible with Guest Room Audio System) (Custom Labeled)

### Audio - Power Amplifiers

Model	Description
EZ-MXA20	20 Watt Stereo Audio Mixer Amplifier
EZ-MXA20X	20 Watt Stereo Audio Mixer Amplifier with EQ
EZ-PA20	20 Watt Stereo Audio Power Amplifier
EZ-PA20X	20 Watt Stereo Audio Power Amplifier

-

Model	Description
EZ-PD3	24 Vdc Power Distributor - 1x3

### Audio - Power Amplifiers

Model	Description
FP-PA18	18 W Audio Power Amplifier with Power Supply
FP-PA18H	18 W High Ambient Temperature Audio Power Amplifier with Power Supply
TX-PA40D	40 W Stereo Audio Power Amplifier with Power Supply
TX-PA40DE	40 W Stereo Audio Power Amplifier with Power Supply - No Power Cord - Does not include IEC AC cable (same type that is commonly used with desktop computers with a C13 end)

### Audio - Transformer Products

Model	Description
AV-AC2	Kit of two cables; dual phono to mini-plug; dual phono to mini-jack
AV-DC4	Divider/Combiner - 4 Line-level XLR input / output channels - switchable ground lifts
AV-HK1	Hum Killer; Transformer isolated dual phono jacks to ground-referenced dual phono jacks
AV-HK1X	Hum Killer; Transformer isolated XLR male to XLR female with ground isolation
AV-XMN4	Microphone to Network Interface - Dante
AV-NL2	Network to Audio Interface - Dante
AV-NH1	Network to Stereo Headphone Amplifier - Dante
AV-NL4	Network to Audio Interface

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
AV-LN4	Line Level Audio to Network Interface - Dante
TX-10B	Bridging Input Transformer (10 k input; 10 k output balanced)
TX-1A	Adjustable Line Transformer (10 k /600 input; 10 k to 5 k unbalanced output)
TX-70A	70 V Input Interface (100V/70V/25V speaker line in; 1 unbalanced line out)
TX-8A	4 Ohm / 8 Ohm Input Interface - Unbalanced/Balanced Line Out
TX-8i	Isolation Transformer for Headphones (Isolates 8 to 5 k or higher headphones from source equipment)

### Signal Processors - Transformer Products

Model	Description
TX-A2	Audio Converter - Balanced to Unbalanced - Terminals, dual-RCA

### Audio - Transformer Products

Model	Description
TX-A2D	Dual Audio Converter - Balanced to Unbalanced -Terminals, dual-RCA
TX-AFC1F	Studio Quality Audio Format Converter (Balanced to unbalanced audio transformer, XLR - phono)
TX-AFC1M	Studio Quality Audio Format Converter (Unbalanced to balanced audio transformer, phono - XLR)
TX-AT1	Studio Quality Audio Isolation Transformer (600 to 5 k 1:1 transformer, bal. or unbal. input and output)
TX-AT1S	Studio Quality Audio Isolation Transformer (600 to 5 k 1:1, bal/unbal in and out w/ transient suppression)

### Signal Processors - Transformer Products

Model	Description
TX-J2	Unbalanced Input Transformer (Stereo phono jack input; 10 k output balanced)

### Audio - Transformer Products

Model	Description
TX-LM2	Line Matching Transformer (600 bal input; 1 unbal line & 1 bal mic output)

### Audio - Processing

Model	Description
FP-ALC1	Automatic Level Control, mono, +4 dBu balanced
FP-ALC2	Automatic Level Control, Stereo, -10 dBV phono in/out
FP-PEQ3	3 Band Parametric EQ, mono (+4 dBu & -10 dBV phono in/out)

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RU-ADL2	Audio Delay, 0 to 135 mS (1 Input and 2 Outputs on XLR and terminal block, Line level)
RU-EQ3	3 Band Equalizer (Front panel controls)
RU-FN	Format A to Network Interface - 1 Format A, 1 Balanced Line Aux Inputs - Dante Output
RU-FNP	Format A to Network Interface - 1 Format A, 1 Balanced Line Aux Inputs - Dante Output - with PoE
ST-CL2	Compressor/Limiter (1 line level input/output; order 2 units for stereo)
ST-EQ3	3 Band Equalizer (Line level in/out)
ST-GCA3	Gain Control Amplifier, Switchable Fast/Slow (1 line input; 1 microphone & 1 line output)
ST-GLA1	Gated Line Amplifier (1 line input/output; self gating)
ST-GSP1	Gated Speech Preamplifier (1 mic input / 1 line output; speech activated gating)
ST-LEQ1	Loudness Equalizer (Line input/output; use with RU or ST series VCAs)

### Audio - Annunciation & Paging

Model	Description
FP-CH8	Chime Generator (8 selectable single/repeated chime sounds, auto ducking)
ST-VP1	Voice-Over/Paging Module (2 line inputs; 1 line output)
ST-VP2	Automatic Ducking Module (2 line inputs; 1 line output)
TX-PCR1	Paging Controlled Relay

-

Model	Description
TX-PD8X	24 Vdc Switching Power Supply Distributor - 1x8

### Audio - Annunciation & Paging

Model	Description
TX-PSD1	Paging Sound Detector

### Audio - Microphone Products

Model	Description
EZ-MCP1	Microphone Compressor
EZ-MPA1	Microphone Preamplifier - Stereo Output
EZ-MPA1X	Microphone Preamplifier - Stereo Output with Compressors

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
EZ-MPA2	Dual Microphone Preamplifier - Stereo Output
EZ-MPA2X	Dual Microphone Preamplifier - Stereo Output with Compressors
FP-MP1	Microphone Preamp, Ultra Low Noise (Switchable gain, switchable phantom, dual-LED VU meter)
FP-MPA2	Microphone Phantom Adapter (2 channel, w/ all standard phantom voltages selectable)
HR-MP2	Dual Microphone Preamplifier
HR-MP2A	Dual Microphone Preamplifier

### Audio - Annunciation & Paging

Model	Description
FP-MR2	Message Repeater

### Audio - Line Amplifiers / Interface

Model	Description
RU-MLA2	Dual Mic / Line Audio Preamplifier (Each input and each output switch-selectable Mic or Line level)
RU-MLA2T	Dual Mic / Line Audio Preamplifier with output transformers (Each input & each output switch-selectable Mic or Line)
RU-MLB2	Mic/Line Bi-Directional Network Interface - 2 Swichable Mic or Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output
RU-MLB2P	Mic/Line Bi-Directional Network Interface - 2 Swichable Mic or Line Inputs, Dante Input - 2 Balanced Line Outputs, Dante Output - with PoE
RU-MLB4	Mic/Line Bi-Directional Network Interface - 4 Swichable Mic or Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output
RU-MLB4P	Mic/Line Bi-Directional Network Interface - 4 Swichable Mic or Line Inputs, Dante Input - 4 Balanced Line Outputs, Dante Output - with PoE

### Audio - Distribution

Model	Description
RU-MLD4	1x4 Mic / Line Audio Distribution Amplifier (Input and each output switch-selectable Mic or Line level)
RU-MLD4T	1x4 Mic / Line Audio Distribution Amplifier with output transformers (Input & each output switch-selectable Mic or Line)

### Audio - Microphone Products

Model	Description
ST-MPA24	Microphone 24 V Phantom Adapter - 2 Channel (Replaces ST-MPA2) (Available Jan. 2014)
ST-MPA48	Microphone 48 V Phantom Adapter - 2 Channel
STM-1	Microphone Preamplifier (1 Mic input; 1 bal & 1 unbal output, 50 dB fixed gain)

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)





Pricing subject to change without notice.

Model	Description
STM-2	Low-Noise Microphone Preamplifier (1 mic in w/phantom; 2 bal/unbal line out, 65 dB adj. gain)
STM-2X	Switched Microphone Preamplifier (1 mic in; 1 line & 1 mic out, external switch control)
STM-3	High-Gain Microphone Preamplifier (1 mic in w/phntm; 2 bal/unbal line out, 75 dB adj. gain )
STM-LDA3	Ultra Low-Noise Microphone Preamplifier (1 mic in w/phntm; 3 bal/unbal line out, 40-60 dB gain, dual-LED VU meter)

### Audio - Mixing

Model	Description
EZ-MX4L	Stereo Line-Level Audio Mixer - 4X1
EZ-MX4LX	Stereo Line-Level Audio Mixer - 4X1
EZ-MX4ML	Mic and Stereo Line Audio Mixer - 4X1
EZ-MX4MLX	Mic and Stereo Line Audio Mixer - 4X1
FP-MX3R	Remote Controlled Line-Level Mixer
FP-MX4	4 Input Mic/Line Mixer (4 mic w/ switched phantom or line inputs; mic & line out)
FP-NML2	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs
FP-NML2P	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs - with PoE
FP-NML2V	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs
FP-NML2VP	Network to Mic/Line Interface - Dante Input - 2 Balanced Mic/Line Outputs - with PoE
FP-PA18HX	18 W High Ambient Temperature Audio Power Amplifier with Power Supply
FP-PA18X	18 W Audio Power Amplifier with Power Supply
FP-TPX3A	Format-A Twisted Pair Remote Controlled Mixer
RU-MX4	4 Input Mic/Line Mixer (4 mic w/ phantom or unbal in; 1 bal line or mic out; 1 unbal line out; direct in/out, connectorized)
RU-MX4L	4 Input Line Mixer (4 line balanced or unbalanced in; 1 bal line or mic out; 1 unbal line out; direct in/out, connectorized)
RU-MX4LT	RU-MX4L, 4 Input Line Mixer with output transformer isolation
RU-MX4T	RU-MX4, 4 Input Mic/Line Mixer with output transformer isolation
RU-MX5ML	5 Input Mic/Line Mixer w/Phntm - Mic and Line Out
RU-NFD	Network to Format A Interface/Distributor - Dante Input - 3 Format A, 1 Balanced Line Aux Outputs
RU-NFDP	Network to Format A Interface/Distributor - Dante Input - 3 Format A, 1 Balanced Line Aux Outputs - with PoE
RU-NL2	Network to Line Level Interface - Dante Input - 2 Balanced Line Outputs

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
RU-NL2P	Network to Line Level Interface - Dante Input - 2 Balanced Line Outputs - with PoE
RU-NL4	Network to Line Level Interface - Dante Input - 4 Balanced Line Outputs
RU-NL4P	Network to Line Level Interface - Dante Input - 4 Balanced Line Outputs - with PoE
ST-MX2	2 Channel Mic/Line Mixer (2 mic/line inputs; 1 mic & 1 line output, dual-LED meter)
ST-MX3	Line Level Mixer (3 bal/unbal line in; 1 bal/unbal line out)
ST-UMX3	Universal Mixer (3 Inputs, line or mic; 1 output, line or mic, dual-LED meter)
STD-10K	Divider/Combiner, 10 k (4 input / output channels)
STD-150	Divider/Combiner, 150 (4 input / output channels)
STD-600	Divider/Combiner, 600 (4 input / output channels)
TX-LC2	Audio Combiner / Unbalanced to Balanced (2 unbalanced inputs, 1 balanced output)
TX-MX2R	Audio Mixer / Distribution Amplifier (2 summed unbalanced inputs, 2 unbalanced outputs)

### Audio - Line Amplifiers / Interface

Model	Description
FP-BUC2	Balanced to Unbalanced Converter (XLR to phono 2 channel, w/ level adjust)
FP-UBC2	Unbalanced to Balanced Converter (Phono to XLR 2 channel, w/ gain adjust)
FP-UBC6	Unbalanced to Balanced Converter (Phono to XLR 6 channel, w/ gain adjust)
RU-AFC2	Audio Format Converter
RU-ASX4D	4x1 Stereo Balanced Audio Switcher - Terminal Block (Available Jan. 2014)
RU-ASX4DR	4x1 Stereo Balanced Audio Switcher - Terminal Block (Available Jan. 2014)
ST-TC1	Telephone Line Simulator / Coupler (Not intended to be connected to CO line)
ST-UBA2	Unbalanced to Balanced Amplifier (Also provides mono sum output, dual-LED meter)
STA-1	Electronic Transformer Pair (2 channel bal/unbal line in/out, adjustable gain/loss)
STA-1M	Audio Line Amplifier Mono, (Line level, adjustable gain/loss)
STA-2A	High Output Line Amplifier (Adjustable gain/loss, 2 channels, SupplyFlex)
EZ-AFC2	Audio Format Converter - Stereo Balanced ? Unbalanced
EZ-AFC2X	Audio Format Converter - Stereo Balanced ? Unbalanced

### Audio - EMC

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
GB6	Ground Bar (For mounting up to 6 model TS-1Ds)
ST-FS6	Ferrite Suppressor (RF suppression in audio or control circuits)
TS-1D	Transient Suppressor (Install up to 6 of the TS-1D with 1 GB6)

### Audio - Program Monitoring

Model	Description
RM-MP12A	Audio Monitor Panel (12 channel selection, mixing or interlocking modes, metering & built in speaker)

### Audio - Distribution

Model	Description
RU-UDA4	1x4 Stereo Unbalanced Distribution Amplifier (Phono jacks in & out, -10 dBV)
ST-DA3	Audio Distribution Amplifier (1 bal/unbal line in; 3 bal/unbal line out, w/ gain adjust, SupplyFlex)
STM-DA3	Ultra Low-Noise Microphone Distribution Amplifier (1 mic in, 3 bal/unbal mic out, -5 to 12 dB gain, dual-LED VU meter)

### Audio - Signal Generators

Model	Description
ST-NG1	White & Pink Noise Generator (Balanced line & mic level from each source)
ST-OSC2A	Oscillator, 1 kHz / 10 kHz (2 line outputs for each frequency, SupplyFlex)
ST-OSC2B	Oscillator, 100 Hz / 400 Hz (2 line outputs for each frequency, SupplyFlex)

### Audio - Switching & Control

Model	Description
ST-ACR1	Audio Controlled Relay-Release delay 0.5 to 5.0 seconds (1 line input; DPDT contacts & open-collector output)
ST-ACR1M	Audio Controlled Relay-Release delay 0.5 to 5.0 seconds (1 mic input; DPDT contacts & open-collector output)
ST-ACR2	Audio Controlled Relay-Release delay 5 to 50 seconds (1 line input; DPDT contacts & open-collector output)
ST-RX2	Audio Routing Switcher (1 line input switched to 1 of 2 outputs)
ST-SSR1	Solid State Audio Relay (2 balanced line inputs; 1 balanced line output)
ST-SX4	4 Input Switcher (4 unbalanced line inputs; 1 unbalanced line output)
ST-VOX1	Voice Activated Relay (1 unbal mic or unbal line in; DPDT & open-collector out)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Audio - Crossover Filters & Filters

Model	Description
ST-CX2	Two-way Line-level Crossover (Full Range Output: 100 Hz to 30 kHz; Woofer Output: 40 Hz to 165 Hz)
ST-CX2S	Subwoofer Crossover Filter (22 Hz to 80 Hz)
ST-HP3	Dual High-Pass Filters (300 Hz High-Pass and 500 Hz High-Pass Outputs) - Line Level

### Audio - Distribution

Model	Description
EZ-ADA4	Stereo Audio Distribution Amplifier - 1X4
EZ-ADA4X	Stereo Audio Distribution Amplifier - 1X4
EZ-HDA4A	Stereo Headphone Distribution Amp - 1X4 Front-Panel Outputs
EZ-HDA4AX	Stereo Headphone Distribution Amp - 1X4 Front-Panel Outputs
EZ-HDA4B	Stereo Headphone Distribution Amp - 1X4 Rear-Panel Outputs
EZ-HDA4BX	Stereo Headphone Distribution Amp - 1X4 Rear-Panel Outputs
EZ-HDA6	Stereo Headphone Distribution Amp - 1X6 Rear-Panel Outputs
EZ-HDA6X	Stereo Headphone Distribution Amp - 1X6 Rear-Panel Outputs
EZ-VDA2B	Video Distribution Amplifier - 1X2 BNC NTSC/PAL

### Audio - Transformer Products

Model	Description
EZ-HK1	Stereo Audio Hum Killer

### Audio - Distribution

Model	Description
EZ-VDA2BX	Video Distribution Amplifier - 1X2 BNC NTSC/PAL
EZ-VDA2R	Video Distribution Amplifier - 1X2 RCA NTSC/PAL
EZ-VDA3B	Video Distribution Amplifier - 1X3 BNC NTSC/PAL
EZ-VDA3BX	Video Distribution Amplifier - 1X3 BNC NTSC/PAL

### Audio - Attenuators

Model	Description
STP-1	Dual Variable Attenuator (2 channel)

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Audio - Phono

Model	Description
EZ-PH1	Stereo Phono Preamp
EZ-PH1X	Stereo Phono Preamp
ST-PH1	Stereo Phono Preamp (Adjustable gain; 2 balanced outputs)

-

Model	Description
RU-VDA4B	NTSC/PAL Video Distribution Amp - 1x4 - BNC

### Audio - VCAs & Related Products

Model	Description
ST-RG1	Ramp Generator (1 up & 1 down control in; 1 dc ramp output)

-

Model	Description
STR-H6A	10.4" Rack Mount for 6 STICK-ON Series Products

### Audio - VCAs & Related Products

Model	Description
ST-VCA3	Voltage Controlled Amplifier

### Audio - System 84

Model	Description
TP-HA1A	Format-A Stereo Headphone Amplifier (Compatible with Guest Room Audio System)